

# Building/Campus/All Assessed Facilities Comparison Report

## Montcalm Community College

Facility	Year Built	Building Area (S.F.)	Pct. of Total S.F.	C#	Percent of Total C#	Priority Issues Data			0-5 Year Cumulative Data				
						D%B	Percent of Total D%B	FCI	Rating	D%B	Percent of Total D%B	FCI	Rating
<b>All assessed facilities</b>		<b>258,843</b>		<b>\$84,363,800</b>		<b>\$410,103</b>	<b>0.49%</b>	<b>GOOD</b>	<b>\$3,254,502</b>	<b>3.86%</b>	<b>GOOD</b>		
Greenville		40,980	15.8%	\$13,159,600	15.6%	\$3,596	0.9%	0.0%	GOOD	\$411,220	12.6%	3.12%	GOOD
Ash Technology and Learning Center	2001	19,495	7.5%	\$6,911,100	8.2%	\$0	0.0%	0.0%	GOOD	\$311,118	9.6%	4.51%	GOOD
Warman Center	2012	16,585	6.4%	\$5,994,100	7.1%	\$3,596	0.9%	1.5%	GOOD	\$99,502	3.1%	1.66%	GOOD
Greenhill & Cole Barn	1910	4,900	1.9%	\$253,800	0.3%	\$0	0.0%	0.0%	GOOD	\$0	0.0%	0.00%	GOOD
<b>Main</b>		<b>211,863</b>	<b>83.6%</b>	<b>\$11,204,200</b>	<b>84.4%</b>	<b>\$406,506</b>	<b>99.1%</b>	<b>0.5%</b>	<b>GOOD</b>	<b>\$2,843,282</b>	<b>81.4%</b>	<b>3.99%</b>	<b>GOOD</b>
Academics	1915	36,190	14.0%	\$12,500,800	14.8%	\$51,253	12.5%	0.41%	GOOD	\$316,214	11.6%	3.01%	GOOD
Warman Theater	1911	3,932	1.5%	\$1,089,100	1.3%	\$12,465	3.0%	6.65%	FAI	\$145,415	4.5%	13.35%	FAI
Cold Storage	1961	3,880	1.5%	\$109,900	0.1%	\$0	0.0%	0.00%	GOOD	\$3,291	0.1%	3.00%	GOOD
(User) Building	1999	38,013	14.7%	\$13,043,500	15.5%	\$39,131	9.5%	0.30%	GOOD	\$260,810	8.0%	2.00%	GOOD
Warman House	1916	2,550	1.0%	\$581,100	0.7%	\$0	0.0%	0.00%	GOOD	\$31,901	1.2%	6.45%	FAI
Wentworth Agricultural Building	1966	21,538	10.6%	\$10,656,300	12.6%	\$0	0.0%	0.00%	GOOD	\$0	0.0%	0.00%	GOOD
Warman Connection	1968	21,180	8.4%	\$4,961,100	5.9%	\$49,611	12.1%	1.00%	GOOD	\$486,188	14.9%	9.80%	FAI
Lesford Agricultural Building	1969	11,184	4.3%	\$3,852,900	4.6%	\$9,632	2.3%	0.25%	GOOD	\$348,681	10.1%	9.05%	FAI
(Donald C.) Wren Library and Admin.	1966	28,120	11.1%	\$9,889,600	11.7%	\$123,620	30.1%	1.25%	GOOD	\$454,922	14.0%	4.60%	GOOD
Cole Barn	1998	1,800	0.7%	\$195,000	0.2%	\$0	0.0%	0.00%	GOOD	\$11,550	0.5%	9.00%	FAI
Cooper & Lan	1966	3,840	1.5%	\$2,822,900	3.3%	\$1,051	2.5%	0.25%	GOOD	\$245,815	7.6%	8.1%	FAI
3aer To 2er	1999	100	0.0%	\$926,900	1.1%	\$53,131	13.1%	5.80%	FAI	\$112,351	5.3%	18.59%	FAI
Ash Building	2001	28,800	11.1%	\$9,951,200	11.8%	\$0	0.0%	0.00%	GOOD	\$213,823	8.4%	2.5%	GOOD
Finance Building	2001	8,000	3.1%	\$514,300	0.6%	\$0	0.0%	0.00%	GOOD	\$20,058	0.6%	3.90%	GOOD
Greenhouse	2016	1,536	0.6%	\$84,000	0.1%	\$0	0.0%	0.00%	GOOD	\$0	0.0%	0.00%	GOOD
Wrens & Millon	444	168	0.3%	\$12,400	0.0%	\$496	0.1%	4.00%	GOOD	\$496	0.0%	4.00%	GOOD

# Deferred Maintenance Report - All assessed facilities

## Montcalm Community College

### Facility Stats

Number of Facilities	16
Oldest Facility	1916
Year of Construction	2012
Average Year of Construction	1955
Average Number of Facilities	#281

### Facilities Condition Index - All assessed facilities

Priority Issues Data						Yearly Cumulative Data				
254801	#153040	#90864	#0	1.48%	GOOD	#3593585	#14933	5.02%	#1431461	FAI
"&'A' .F.	C#\$	D%B	OC(	FCI	#A"!"*+	D%B	OC(	FCI	,-Y#%A!"A!"	#A"!"*+

# Deferred Maintenance Detail Report - \$y Building

## Montcalm Community College

. o es6

( a a 0ro # 7re%io)s assess#en s is incl)ded (or referen e 7)r7oses.

C)rren assess#en no es indica e 0 7as iss)es ha%e 1een addressed.

. a ' /&s1 Main  
 \*ld+. %)1 01  
 \*&ildin+1 Activities  
 Areal 36\$190sf

-r \*&ilt1 19"5  
 FI) )rs1 1  
 2se 34/es1  
 35 % A hle ic  
 35 % ' )den 8nion  
 30 % . a a ori) #

%)test

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
' r) c) re	15	\$1,815,120	0 \$0	0 \$0	5 \$93,756	95 \$1,781,364	. o re7or ed 7ro1le#s 200! 42015 assess# en 6 . o changes re7or ed 2016 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess# en 6 ' e%ere corrosion o) s eel ladder in 7ool 2a er rea # en roo# . ' e%ere corrosion o) rein)ored concre e )loor sla1 and 1ea#s. 2019 Assess# en 6 Con in) ed ' e%ere corrosion o) s eel ladder in 7ool 2a er rea # en roo# . 2021 Assess# en 6 ' r) c) ral concre e re7air co# 7le ed in 7ool e9) i7# en roo# , incl) ding ne2 shi7:s ladder. 2022 Assess# en 6 . o changes or 7ro1le#s re7or ed. 2023 Assess# en 6 . o changes or 7ro1le#s re7or ed.
; oo)	5	\$625,040	1 \$6,250	0 \$0	80 \$500,032	20 \$125,008	20044 Trocal &<C roo) re7laced 2i h =& ( / > \$105,000? 200! assess# en 6 . o re7or ed 7ro1le#s 2009 assess# en 6 ; oo) #e# 1rane de ached a 7eri#e er d) e o #ois )re 7ro1le#s in 2all sys e# , e# 7orarily re7aired. &er#anen re7air sched) led and )nded. 2010 assess# en 6 &ool roo) re7laced 2i h 2hi e =& ( / #e# 1rane roo) 2011 42015 assess# en 6 . o changes. ; oo) ins7ec ed ann) ally, no re7or ed 7ro1le#s. 2016 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. &ro)ec ed re7lace# en 0ro# roo) re7or 6 2024 2018 Assess# en 6 . o changes re7or ed. ; oo) sec ions 2, 5, and 6 sched) led )or roo) re7lace# en in 2030. ' ec ion 1 o 1e re7laced in 2035. ; oo) co# 7rised o) single 47ly #e# 1rane, 2i h ins) la ion on #e al decA, s eel )ois s 2019 Assess# en 6 roo) re7or 6 2024



. a ' /&s1 Main  
 \*ld+. %)1 01  
 \*&ildin+1 Activities  
 Areal 36\$190sf

-r \*&ilt1 19"5

FI))rs1 1

2se 34/es1  
 35 % A hle ic  
 35 % ' )den 8nion  
 30 % . a a ori) #

%)test1

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
\$laBing	3	\$3!5,024	0	0	20	90	Original glaBing. ' Ayligh resealed. 20024ne2 d1l. 7ane glaBing in Ai chen 200!42014 Assess#en 6 . o re7or ed 7ro1le#s, no changes re7or ed. 2015 4 . o changes re7or ed. ; eco# #end re%ie2ing condi ion ol sealan s on original )ni s. 2016, 2018 Assess#en 6 . o changes re7or ed. 2019 Assess#en 6 ' e%eral 2indo2s re7laced a he 7ool. . o o her 7ro1le#s re7or e 202142022 Assess#en 6 . o changes or 7ro1le#s re7or ed. 2023 Assess#en 6 . o changes or 7ro1le#s re7or ed.
Cladding	!	\$8!5,056	0	0	10	90	20014; ecen ly re7laced #or ar, ca)IA, con rol ioin s. 20014; ecen ly 2a er7roo0ed o co)n erac e00lorescence, al ho)gh 7ro1le# eD7ec ed o re )rn d)e o high h) #idi y and salini y o0 air in 1)ilding. 20034; e7lace#en o0 7ool h) #idi y con rol sys e# a77ears o ha%e sol%ed 7ro1le# 2i h #asonry 200! assess#en 6 . o re7or ed 7ro1le#s 2009 assess#en 6 / ois )re 1arrier in 7ool area eD erior 2alls no 7er0or#ing 7ro7erly, allo2ing #ois )re in o 2all s r)c )re. &ro1le# )nder in%es iga ion. 2010 assess#en 6 / ois )re 1arrier iss)e resol%ed as 7ar o0 roo0 re7lace#en . 3 all5roo0 ransi ion ins)la 2011420166 assess#en 6 . o changes. . o re7or ed 7ro1le#s. 201842019, 202142022 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2023 Assess#en 6 . o changes or 7ro1le#s re7or ed.



Area #					25% of total									
* Building #					35% of total									
* Building #					35% of total									
Area #	19				30% of total									

  

System	Cost of System		Pct. of system value to Budget for replacement				System-Comments
	Year	Amount	Immediate	1-5 Years	6-10 Years	11+ Years	
EAC connected?	24	\$3,000,192	0	0	0	0	2015 Assessment T8s 21h ( ( C controls installed - no other level cooling. -ns all cost \$90,000F 2016 Assessment no changes reported for 7ro1le #s. 2018 Assessment EAC is component of Tool AE8, 21h remaining surface covered 1y gas fired electric cooling ; T8 )ni s 2hich a77ear in good condition. &eri#e er ho 2a er ser%ed 1y gas40ired " ryan ho 2a er 1oiler and dis ri1 ) ion 7 ) # 7s ) ilding is 0 )ly ( ( C con rolled 2i h s andard ca#7 )s " = / ' sys e# . 3 eigh raining area is 7lanned for ed7ansion and a ne2 E<AC sys e# re9 )ired. 2019 Assessment ; e7laced en ry hea er in 2019. no other changes or 7ro1le #s reported 2021 Assessment EAC sys e# o 1e re7laced 2hen 2eigh raining area is ed7anded. 2022 ; e7laced 2 rool o7 )ni s o )7grade cen ral AC 2022/2023 Assessment / o di0ica ions #ade o con rols, di00 )sers and d )c ing o s )77or Ai chen con%er ed o o00ices. >2? ne2 AE8 ins all ed o ser%e he gy#nasi ) #



. a ' /&s1 Main  
 \*ld+. %)1 01  
 \*&ildin+1 Activities  
 Areal 36\$190sf

-r \*&ilt1 19"5

FI))rs1 1

2se 34/es1  
 35 % A hle ic  
 35 % ' )den 8nion  
 30 % . a a ori) #

%)tes1

!

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
&l) # 1ing5 (rainage	!	\$8!5,056	3	10	15	82	(a#aged 0iD )res re7laced, hard2are re7laced, oile 7ar ions re7laced.
			\$26,252	\$87,506	\$131,258	\$717,546	200347ool 7E sys e# re7laced >0ro# acid o CC42?

&0or7circ 28a 0 0 789 (7 dri% r g1q18 . 3 3 3 2i h %aria1le 0r ' )ency dri% r g)ni 2 6' 10or re7lace# 11 as

I >eDce7 0or re7lairee



. a ' /&s1 Main			2se 34/es1		%)tes1
*ld+. %)1 01			35 % A hle ic		!
*&ildin+1 Activities			35 % ' )den 8nion		
Areal 36\$190sf	-r *&ilt1 19"5	FI) )rs1 1	30 % . a a ori) #		

---

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
=lec. &ri#ary5' econdary	10	\$1,250,080	0	0	20	80	&ri#ary 4 good condi ion



. a ' /&s1 Main  
 \*ld+. %)1 01  
 \*&ildin+1 Activities  
 Areal 36\$190sf

- r \* &ilt1 19"5  
 FI) )rs1 1

2se 34/es1  
 35 % A hle ic  
 35 % ' )den 8nion  
 30 % . a a ori) #

%)tes1

---

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
Ligh ing	5	\$625,040	0	0	5	95	*iD )res y7ically original 4 in good condi ion
			\$0	\$0	\$31,252	\$593,788	LocAer roo# ligh ing re7laced in 2003, 2004
							E- ( iD )res in na a ori) # d)e 0or re7lace#en 4 di00ic)l o #ain ain

										20142016 Assess# en ì . o changes re7or ed.				
										201842019, 202142022 Assess# en ì . o changes re7or ed. . o re7or ed 7ro1e#s.				



										2019, 2021 Assess# en 6 . o re7or ed 7ro1le#s. . o re7or ed changes.			
										2022/2023 Assess# en 6 / inor reno%a ions o con%er Ai chen o o00ices, incl)ding #odi0ied 7ar i ions, 7ain and 0inishes 0or he ne2 o00ices.			



. a ' /&s1 Main	2se 34/es1	%)tes1
*ld+. %)1 01	35 % A hle ic	!
*&ildin+1 Activities	35 % ' )den 8nion	
Areal 36\$190sf	-r *&ilt1 19"5	FI))rs1 1
		30 % . a a ori) #

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2	onent *otes
( oors	2	\$250,016	0	0	15	85	=D erior	

|| || || || || ||

s orage areas. ; e7laced 2i h ne2 hollo2 #e al )ni s.



.a ' /&s1 Main

2se 34/es1

%)test1

---

									2016 4 2023 Assess# en t . o changes re7or ed. . o re7or ed 7ro1le#s.										
--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--

. a ' /&s1 Main  
 \*ld+. %)1 01  
 \*&ildin+1 Activities  
 Area1 36\$190sf

-r \* &ilt1 19"5

FI) )rs1 1

2se 34/es1  
 35 % A hle ic  
 35 % ' )den 8nion  
 30 % . a a ori) #

%)test1

!

ystem . , Immediate /-5 Years 0/0 Years //1 Years ystem-Com2nent \*otes

C#\$"otals- 100 \$12,500,800 \$51,253 \$325,021 \$1,743,862 \$10,121,898 \$12,242,033

-! " ear Cumulati#e Data									
#51\$253	#0	0.41%	GOOD	#3"6\$2"4	#0	3.01%	#250\$016	GOOD	
D%B	OC(	FCI	#A"l*+	D%B	OC(	FCI			

. a ' /&s1 Main  
 \*ld+. %)1 02  
 \*&ildin+1 \*arn 35eater  
 Areal 3\$932sf

-r \*&ilt1 191" FI))rs1 2

2se 34/es1  
 100% A)di ori) #

%)tes1 " # \$ % &  
 ' ( ' % ) )' &  
 " \* + ' , ' ( , \* , &  
 -\* ( ' ( , \* \$ &

ystem	C#Sof ystem		Pct. of system value to Budget for reair-replacement				ystem-Comnent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
' r)c)re	15	\$163,455	0	0	20	80	3ood s r)c)re eD7osed on in erior, no re7or ed 7ro1le#s.  20034Chi#ney re7aired.  200! assess#en 6 . o changes, no re7or ed 7ro1le#s.  200942015 Assess#en 6 . o changes re7or ed.  2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  2018 Assess#en 6 / odiiica ions #ay rigger s r)c)ral )7grades o0 1)ilding. This 1)ilding 2o)ld 1e di00ic)l o 1ring )7 o c)rren s r)c)ral re9)ire#en s in 1)ilding code. ' r)c)re co#7rises o0 2ood i#1ers and ga#1rel 1arn roo0 0or#.  2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
;oo0	!	\$!6,2!9	15	10	25	50	Tin roo0s so#e as7hal shingle on la er addi ion  200! assess#en 6 . o changes, no re7or ed 7ro1le#s.  200942012 Assess#en 6 . o changes re7or ed.  2013 Assess#en 6 / e al 1arn roo0 d)e 0or re7ain . As7hal shingles in 0air condi ion.  201442015 Assess#en 6 . o changes re7or ed.  2018 Assess#en 6 =Dis ing in roo0 on original 1arn, 2i h as7hal shingles on addi ion. . o changes re7or ed. . o re7or ed 7ro1le#s.  2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.





System	C# of system		Pct. of system value to budget for re2air-re2acement4				System-Component Notes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
E<AC	20	\$211,940	25	20	0	55	'ys e# )7graded in 1991 *an )ni a1o%e s age noisy, o(en sh) o0 d)ring 7er/or #ances. Te#7era )re %aries significant ly 0ro# lo2 sea s o high sea s.  200! assess#en 0 . o changes, no re7or ed 7ro1le#s.  2009 Assess#en 0 . o changes re7or ed.  2011 assess#en 0 . o changes re7or ed.  2012 assess#en 0 "arn no on ca#7)s42ide 1)ilding a) o#a ion sys e# .  2013 assess#en 0 "arn gro)nd #o)n ed 2in4condensor A5C )ni ins alled in 1991 is near end o0 eD7ec ed li0e. " )dge ing 0or re7lace#en reco# #ended.  2014 Assess#en 0 . o changes re7or ed.  2015 Assess#en 0 . o changes re7or ed. E<AC sys e# re#ains near end o0 eD7ec ed li0e.  2016 Assess#en 0 . o changes re7or ed.  2018 Assess#en 0 The 1arn Thea er E<AC is ser%ed 1y gas40ired hea and ( J cooling AE8s5; T8s and 1o h in good condi ion, sho)ld con in)e o0)nc ion. The 1)ilding E<AC con rols do no re7or o he 'chool Ca#7)s/s "= / ' sys e#.  2019, 202142023 Assess#en 0 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Main  
 \*ld+. %)1 02  
 \* &ildin+1 \*arn 35eater  
 Areal 3\$932sf

2se 34/es1  
 100% A)di ori) #

%) tes1 " # \$ % i  
 ' ( ' % ) ' i  
 " \* + ' , ' ( , \* , i  
 - \* ( ' ( , \* \$ i

ystem	C#	Sof ystem	Pct. of system value to 3udget for re2air-re2acement4				ystem-Com2nent *otes
			Immediate	/-5 Years	0/0 Years	//1 Years	

&l) # 1ing5 ( rainage	6	\$65,382	0	0	25	!5	; e7laced in 19!2. ' e7 ic sys e# near ca7aci y. Addi onal 0iD )res 2iil liAely o%erload sys e#.
			\$0	\$0	\$16,346	\$49,037	
							200! assess#en 6 &i7ing 0or s7rinAler sys e# added.
							200942014 Assess#en 6 . o changes re7or ed.
							2015 assess#en 6 2a er s)77ly 7i7ing 0ro# 2ell re7laced o 1o h 0ar#ho)se and 1arn. ' e7 ic sys e# re#ains near ca7aci y.
							2016 Assess#en 6 . o changes re7or ed.
							2018 Assess#en 6 The Thea er " )ilding is an asse# 1ly s7ace 0)ll o0 co#1)s i1les, 0)lly s7rinAled. The res roo# 7l) # 1ing 2as )7graded and a77ears o 1e in good condi ion.
							2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

&ri# ary6 ' econdary	5	\$54,485	0	0	30	!0	; ecen ly )7graded
			\$0	\$0	\$16,346	\$38,140	200! assess#en 6 . o changes, no re7or ed 7ro1le#s.

							2009 Assess#en 6 . o changes re7or ed.
							2010 assess#en 6 Ca#7)s 7ri# ary ser%ice )7graded 1y Cons) #ers =energy o 7ro%ide addi onal ca7aci y.
							201142015 Assess#en 6 . o changes re7or ed.
							2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
							2018 Assess#en 6 The 1)ilding has 2o elec rical ser%ices, 1o h ser%ed o%erhead 0ro# he 7o2er lines along 3es 'idney ;oad. Cne ser%ice is 240\$120< single 7hase and 7ro%ides ligh ing and con%enience 7o2er hro)gho) he 1)ilding. The o her ser%ice is 480< hree 7hase and only ser%es he 2o condensing )ni s on he 3iring in he 1)ilding is a #iD )re 00 #any y7es, 2i h so#e o7en 0)nc ion 1oDes in he con rol roo# . . o 0ire alar# eDis s in he 1)ilding. As an asse# 1ly occ)7any, his is reco# #ended o co#7ly 2i h li0e sale y codes.
							2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Main  
\*ld+. %)1 02  
\*&ldin+1 \*arn 35eater  
Areal 3\$932sf

-r \*&ilt1 191" FI))rs1 2

2se 34/es1  
100% A)di ori) #

%)tes1 " # \$ % &  
' ( ' % ) )' &  
" \* + ' , ' ( , \* , &

---

. a ' /&s1 Main  
 \*ld+. %)1 02  
 \*&ildin+1 \*arn 35eater  
 Areal 3\$932sf

-r \* &ilt1 191" FI))rs1 2

2se 34/es1  
 100% A)di ori) #

%) tes1 " # \$ % &  
 ' ( ' % ) )' &  
 " \* + ' , ' ( , \* , &  
 - \* ( ' ( , \* \$ &

System	C# of system		Pct. of system value to Budget for re2air-re2acement4				System-Component notes
		\$	Immediate	/-5 Years	0/0 Years	//1 Years	
<oice5 (a a	1	\$10,891	0	0	10	90	/ ini#al 4 )7graded 200! assess#en 6 . o changes, no re7or ed 7ro1le#s. 2009/2015 Assess#en 6 . o changes re7or ed. 2016 Assess#en 6 . o changes re7or ed. 2018, 2019, 2021/2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
Ceilings	3	\$32,691	0	0	15	85	=D7osed in hea er, 2D4 s)7ended in o her areas4 C+ 200! assess#en 6 . o changes, no re7or ed 7ro1le#s. 2009/2015 Assess#en 6 . o changes re7or ed. 2016 Assess#en 6 . o changes re7or ed. 2018, 2019, 2021/2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
3 alls:Case2orA	8	\$81,116	0	0	10	90	=D7osed s7rayed4on ins)la ion in hea er 4 no re7or ed 7ro1le#s. ' ea s 2orn and 0ailing. 200! assess#en 6 ' ea ing re7laced. 2009/2015 Assess#en 6 . o changes re7or ed. 2016 Assess#en 6 . o changes re7or ed. 2018, 2019, 2021/2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Main  
 \*ld+. %)1 02  
 \*&ildin+1 \*arn 35eater  
 Areal 3\$932sf

-r \*&ilt1 191" FI))rs1 2

2se 34/es1  
 100% A)di ori) #

%)tes1 " # \$ % &  
 ' ( ' % ) ' &  
 " \* + ' , ' ( , \* , &  
 -\* ( ' ( , \* \$ &

system	C#Sof ystem		Pct. of system value to budget for reair-replacement				system-Component notes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
(doors	2	\$21,194	0	0	10	90	/odified 1arn doors 2i h 7anic hard2are Eard2are nearing end o lile  200! Assess#en 6 =gress hard2are added as re9)ired. =D erior door 2ea hers ri77ing added as re9)ired.  200942012 Assess#en 6 . o changes re7or ed.  2010 assess#en 6 . o changes re7or ed.  2013 assess#en 6 ' econdary doors sho2ing signs o l addi onal de eriora ion.  2014 4 2015 Assess#en 6 . o changes re7or ed. =D erior doors con in)ing o sho2 aging.  2016 assess#en 6 eD erior 2ood doors re7laced 2i h ne2 7ain ed 2ood doors as 7ar o l siding re7lace#en .  2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
*loors	2	\$21,194	0	10	15	!5	3 ood;concre e 4 C+. Car7e in dressing roo#s 200! assess#en 6 Car7e added in hea er aisles. . o re7or ed 7ro1le#s.  200942015 Assess#en 6 . o changes re7or ed.  2016 Assess#en 6 . o changes re7or ed.  2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. =Dis ing 0loors are concre e sla14on4grade, 2i h 2ood40ra#e cons r)cion, %iny! 0loors and car7e ed 0loors in he 24s ory addi ion.  2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Main  
 \*ld+. %)1 02  
 \*&ildin+1 \*arn 35eater  
 Areal 3\$932sf

-r \* &ilt1 191" FI))rs1 2

2se 34/es1  
 100% A)di ori) #

%)tes1 " # \$ % &  
 ' ( ' % ) )' &  
 " \* + ' , ' ( , \* , &  
 - \* ( ' ( , \* \$ &

system	C# of system	S	Pct. of system value to Budget for re2air-re2acement4				system-Component *otes
			Immediate	/-5 Years	0/0 Years	//1 Years	
"ldg., *ire, A (A, =le%a ors	!	\$!6,2!9	0	10	10	80	. o ðire alar#5 s7rinAlers. " )ilding generally no A (A co#7lian . 20024&or a1le 2heelchair lið added 200! assess#en ð . e2 handrails ins alled in aisles. . e2 A (A accessi1le sea ing added. A) o#a ic s7rinAler sys e# added. Toile roo#s no #odiiied, no A (A co#7lian . . o ðire alar# sys e#. 200942016 Assess#en ð . o changes re7or ed. 2018, 2019, 202142023 Assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.
-# #ed. 'ie, =D . L g., e c	3	\$32,691	0	0	5	95	&a%ing re7aired 200042001. 'ie C+. 200! assess#en ð =D erior 7la ðor# 2i h railings added a s age door. 2009 Assess#en ð . o changes re7or ed. 2010 assess#en ð =D erior 2alAs re7laced. 201142015 Assess#en ð . o changes re7or ed. 2016 Assess#en ð . o changes re7or ed. 2018, 2019, 202142023 Assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.

.a' /&s1 Main



. a ' /&s1 Main  
 \*ld+. %)1 03  
 \*&ildin+1 . )ld 0t)ra+e  
 Area1 3\$880sf -r \*&ilt1 196" FI))rs1 1  
 2se 34/es1  
 100% ' orage  
 %)tes1 .

ystem	C# of ystem		Pct. of system value to Budget for reair-replacement				ystem-Comnent *otes
		,	Immediate	/-5 Years	0/0 Years	//1 Years	
' r)c )re	35	\$38,465	0	0	0	100	. o re7or ed 7ro1le#s 200! assess#en 6 . o changes 2009 4 2015 Assess#en 6 . o changes re7or ed. 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. ' r)c )re is co#7rised o0 s eel 1ea#s, corr)ga ed #e al 7alls and #e al 7anel roo0. 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
; oo0	15	\$16,485	0	0	0	100	/ e al roo0 200! assess#en 6 . o changes 200942013 Assess#en 6 . o changes re7or ed. 2014 assess#en 6 ; oo0 ins7ec ed, re7aired as necessary. 2015 Assess#en 6 . o changes re7or ed. 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. / e al 7anel roo0. 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
\$laBing	0	\$0	0	0	0	100	.5A 2014 4 2015 Assess#en 6 . o changes re7or ed. 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.



.a ' /&s1 Main  
\*ld+. %)1 03

2se 34/es1  
100% ' orage

%)tes1 .

---

. a ' /&s1 Main  
 \*ld+. %)1 03  
 \*&ildin+1 . )ld 0t)ra+e  
 Area1 3\$880sf

2se 34/es1  
 100% ' orage

%)tes1 .

-r \*&ilt1 196" Fl))rs1 1

ystem	C#s of ystem	, \$	Pct. of system value to Budget for reair-replacement				ystem-Comnent *otes
			Immediate	/-5 Years	0/0 Years	//1 Years	
&ri#ary's econdary	4	\$4,396	0	0	0	100	#ini#al 200! assess#en 6 . o changes 2009 4 2016 Assess#en 6 . o changes re7or ed. 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
(is ri1) ion	4	\$4,396	0	0	0	100	#ini#al 200! assess#en 6 . o changes 200942016 Assess#en 6 . o changes re7or ed. 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
Ligh ing	4	\$4,396	0	0	0	100	#ini#al, . o re7or ed 7ro1le#s 200! assess#en 6 . o changes 2009 4 2015 Assess#en 6 . o changes re7or ed. 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. -ncandescen ligh (iD )res. 2019 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

.a ' /&s1 Main

\*ld+. %)1 03

\*&ildin+1 . )ld 0t)ra+e

Area1 3\$880sf

-r \*&ilt1 196"

Fl))rs1 1

2se 34/es1

100% ' orage

%)tes1 .

---

ystem

. ,

Immediate

/-5 Years

0/0 Years

. a ' /&s1 Main

\*ld+. %)1 03

\*&ildin+1 . )ld 0t)ra+e

Area1 3\$880sf

-r \*&ilt1 196"

Fl))rs1 1

2se 34/es1

100% ' orage

%)tes1 .

ystem

. ,

Immediate

/-5 Years

**0**/0 Years

---

---



. a ' /&s1 Main  
 \*Id+. %)1 04  
 \*&ildin+1 D)ser \*&ildin+  
 Area# 38\$013sf -r \*&ilt1 1999 Fl))rs1 1

2se 34/es1  
 10 % Ad#inis ra ion  
 45 % Technology La1  
 45 % Classroo#

%)tes1

ystem	C#Sof ystem		Pct. of system value to Budget for reair-replacement				ystem-Comnent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
' r)c )re	15	\$1,956,525	0	0	5	95	*o)nda ion 2all cracAed in 4 loca ions in co#7) er la1. 'o#e #ois )re in0il ra ion.
			\$0	\$0	\$97,826	\$1,858,699	200! assess#en 6 co#7) er la1 eD erior 2all cracAing sealed, no #ois )re 7ro1le# no ed.
							2009 42012 assess#en 6 . o changes re7or ed
							2013 assess#en 6 '#all a#o)n ol 2a er in0il ra ion in co#7) er la1 2all con in)ing.
							2014 Assess#en 6 . o changes re7or ed.
							2015 assess#en 6 2a er in0il ra ion in o co#7) er la1 re7or ed o 1e resol%ed.
							2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
							2018 Assess#en 6 " )ilding in good s r)c )ral condi ion, no deliciencies no ed. . o changes re7or ed. . o re7or ed 7ro1le#s.
							2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Main 2se 34/es1 %)tes1  
\*Id+. %)1 04 10 % Ad#inis ra ion  
\*&ildin+1 D)ser \*&ildin+ 45 % Technology La1  
Area# 38\$013sf -r \*&ilt1 1999 FI) )rs1 1 45 % Classroo#

---

ystem . , Immediate /-5 Years 0/0 Years //1 Years

. a ' /&s1 Main  
 \*Id+. %)1 04  
 \*&ildin+1 D)ser \*&ildin+  
 Area1 38\$013sf -r \*&ilt1 1999 Fl)rs1 1

2se 34/es1  
 10 % Ad#inis ra ion  
 45 % Technology La1  
 45 % Classroo#

%)test

ystem	C#Sof ystem		Pct. of system value to Budget for re2air-re2acement4				ystem-Com2nent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
\$laBing	5	\$652,115	0	0	15	85	3 indo2 roller shade er#ina ion 1ars (ailing (ro# handling and #is)se. 200! assess#en 6 . o changes. ; oller shades re7aired as re9)ired. 200942016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 201842019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
Cladding	6	\$182,610	0	0	15	85	. o re7or ed 7ro1le#s \$0 \$0 \$117,392 \$665,219 200! assess#en 6 " ricA sils a air in aAes (ailing. " ricA s2elling, 1) cAling and s7alling. . o relie0 (or 1ricA eD7ansion a ei her end. =D erior sealan s no 2earing 2ell, near end o0 li0e and d)e 0or re7lace#en . 2009 Assess#en 6 200841ricA a air in aAes re7aired. 200841)ilding eD erior sealan s re7laced as re9)ired. 2010 Assess#en 6 . o changes re7or ed. 2011 assess#en 6 . o changes. . o re7or ed 7ro1le#s. 2012 assess#en 6 . o changes re7or ed 2013 assess#en 6 *lashing a 1ase o0 2all in so) h2es corner o0 1)ilding orn, so#e loose. ( )e 0or re7air. 2014 4 2016 Assess#en 6 . o changes re7or ed. 201842019, 202142022 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2023 Assess#en 6 *)ll re7lace#en o0 #e al co7ing, 0lashing and de ailing a roo0 edge



. a ' /&s1 Main 2 se 34/es1 %)tes1  
 \*Id+. %)1 04 10 % Ad#inis ra ion  
 \*&ildin+1 D)ser \*&ildin+ 45 % Technology La1  
 Area1 38\$013sf -r \*&ilt1 1999 Fl))rs1 1 45 % Classroo#

ystem	C#Sof ystem	Pct. of system value to 3udget for re2air-re2acement4	Pct. of system value to 3udget for re2air-re2acement4				ystem-Com2nent *otes
			Immediate	/-5 Years	0/0 Years	//1 Years	
E<AC	24 \$3,130,440	0	0	20	80	" )ilding on cen ral 1oiler sys e# 2i h inde7enden rehea coil 1oiler	
		\$0	\$0	\$626,088	\$2,504,352	20024Add:l AC )ni added in eleco#	
						20024rehea 1oiler correc ly 7i7ed	
						200547acAage AC )ni in eleco# roo# >ins alled 2002? re7laced 2i h 4 Trane ( J )ni s >\$40,000?	
						<aria1e *re9)ency ( ri%e )ni s con rols 0ailing. ' e%eral ha%e 1een re7laced.	
						20054 . o re7or ed 7ro1le#s	
						200! assess#en 6 . o changes. . o re7or ed 7ro1le#s.	
						2009 Assess#en 6	
						20084Addi onal rehea 1oiler ins alled o i#7ro%e 1)ilding h) #idi y con rol >\$50,000?.	
						2010 Assess#en 6 \$as #e er sys e#s re7laced 1y Cons) #ers =nergy.	
						2011 assess#en 6 . o changes. . o re7or ed 7ro1le#s. <*( )ni s 2orAing 2ell.	
						2012 assess#en 6	
						'ys e# con rols )7graded o (( C as 7ar 0)ne2 energy #anage#en sys e#.	
						3 <A<)ni s re7laced. . e2 ac )a ors, da#7ers and con rol %al%es ins alled as re9)ired.	
						201342014 assess#en 6 . o changes re7or ed	

. a ' /&s1 Main  
 \*Id+. %)1 04  
 \*&ildin+1 D)ser \*&ildin+  
 Area# 38\$013sf -r \*&ilt1 1999 Fl) )rs1 1  
 2se 34/es1  
 10 % Ad#inis ra ion  
 45 % Technology La1  
 45 % Classroo#

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
E<AC >con in)ed?	24	\$3,130,440	0	0	20	80	2015 Assess#en 6 >2? %aria1le 0re9)ency dri#es re7laced in re )rn air sys e#.
			\$0	\$0	\$626,088	\$2,504,352	. o re7or ed 7ro1le#s.

2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

2018 Assess#en 6 The E<AC sys e# is ser%ed 1y 2o >2? cen ral AE 8s  
 2hich a77ear in rela i%ely good condi on. The sys e# )ses elec ric rehea coils and  
 elec ric 1oilers 2hich is reco# #ended o 1e re7laced 2i h gas40ire 1oiler and ho 2a er  
 rehea coils 0r energy sa%ings.  
 Chilled 2a er is s)77lied 1y an o) door air4cooled chiller )sing 25% e hylene glycol.

The c2)ildg 25 in041 go ( ( Con inr.l 2i h ga sys aed oca#7sin "= / ' s e# sy do' 1 (rehe# #ended oi#o%ided <A<

. a ' /&s1 Main  
 \*Id+. %)1 04  
 \*&ildin+1 D)ser \*&ildin+  
 Area# 38\$013sf -r \*&ilt1 1999 Fl) )rs1 1

2 se 34/es1  
 10 % Ad#inis ra ion  
 45 % Technology La1  
 45 % Classroo#

%)tes1

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
&l) # 1ing:( rainage	5	\$652,115	0	0	5	95	. o re7or ed 7ro1le#s
			\$0	\$0	\$32,609	\$619,566	200! assess#en 6 . o changes. . o re7or ed 7ro1le#s.
							2009#2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
							2018#2019, 2021#2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
=lec. &ri#ary: ' econdary	8	\$1,043,480	0	0	5	95	. o re7or ed 7ro1le#s
			\$0	\$0	\$52,174	\$991,306	200! assess#en 6 . o changes. . o re7or ed 7ro1le#s.
							2009 Assess#en 6 . o changes re7or ed.
							2010 assess#en 6
							Ca#7)s 7ri#ary ser%ice )7graded 1y Cons) #ers =nergy o 7ro%ide addi onal #sassess#en 4eo-so-s#94s =n5iide add



2018/2019, 2021/2023 Assessment of changes reformed . . . reformed 7role #s.



. a ' /&s1 Main 2 se 34/es1 %)tes1  
 \*Id+. %)1 04 10 % Ad#inis ra ion  
 \*&ildin+1 D)ser \*&ildin+ 45 % Technology La1  
 Area1 38\$013sf -r \*&ilt1 1999 Fl) )rs1 1 45 % Classroo#

system	C#Sof ystem		Pct. of system value to Budget for repair-replacement				system-Component notes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
*loors	3	\$391,305	0	0	10	90	20054loose <CT in ca ering Ai chen re7aired 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2016, 2018, 2019, 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2022 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed. 2023 Assess#en 6 Car7e re7laced in roo#s 303 I 305
"ldg., *ire, A (A, =le%a ors	2	\$260,810	0	0	10	90	lly s7rinAled -n erior railings 2ar7ing and lailing4do no #ee code lor 2eigh s)77or , re9)ire re7lace#en 20034in erior railings re7laced 2i h 7ain ed s eel, 7ro1le# resol%ed 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 201842019, 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2022 Assess#en 6 " )ilding adccess con rol )7graded 2023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.

. a ' /&s1 Main 2 se 34/es1 %)test  
 \*Id+. %)1 04 10 % Ad#inis ra ion  
 \*&ildin+1 D)ser \*&ildin+ 45 % Technology La1  
 Area1 38\$013sf -r \*&ilt1 1999 Fl) )rs1 1 45 % Classroo#

ystem	C#Sof ystem	Pct. of system value to Budget for re2air-re2acement4	Pct. of system value to Budget for re2air-re2acement4				ystem-Com2nent *otes
			Immediate	/-5 Years	0/0 Years	//1 Years	
-# #ed. 'ie, =D. L.g., ec	3	\$391,305	10	0	10	80	. o re7or ed 7ro1le#s
			\$39,131	\$0	\$39,131	\$313,044	200! assess#en 6 . o changes. . o re7or ed 7ro1le#s.
							200942012 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
							2013 assess#en 6 \$rade a nor heas corner >o) side co#7) er la1? is %ery lla and #ay 1e con r1) ing o he 2a er in0il ra ion 7ro1le#. ; egrading 2i h a s2ale #ay i#7ro%e si )a ion.
							2014 4 2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
							2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
							2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 'o) h 7arAing lo ligh s re7laced in 201!.
							2019, 202142022 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
							2023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.

C#\$"otals: 100 \$13,043,500 \$39,131 \$221,740 \$1,278,263 \$11,152,193 \$12,691,326

Priority Issues Data					-! " ear Cumulati#e Data				
#13\$043\$500	#39\$131	#0	0.3%	GOOD	#260\$8"0	#0	2.0%	#260\$8"0	GOOD
C#\$	D%B	OCC	FCI	#A"l*+	D%B	OCC	FCI	, -Y#%A!*"A!*	#A"l*+



. a ' /&s1 Main

\*|d+. %)1 05

\* &ildin+1 Far ' 5)&se

Areal 2\$550sf

-r \* &ilt1 1916

FI))rs1 2

2se 34/es1

100% ; esidence

%) tes1

)\*

% /

i

---

ystem

. ,

Immediate

/-5 Years

. a ' /&s1 Main  
 \*ld+. %)1 05  
 \* &ildin+1 Far ' 5)&se  
 Areal 2\$550sf

2se 34/es1  
 100% ;esidence  
 %) tes1 ) \* % / i  
 -r \* &ilt1 1916 FI))rs1 2

system	C# of system		Pct. of system value to Budget for repair-replacement				system-Component notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
Cladding	10	\$58,110	0	15	20	65	2003 3ood siding re7laced >60%?re7ain ed >100%? 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 2009 Assess#en 6 2009eD erior re7ain ed 2010 2012 assess#en 6 . o changes re7or ed. 2013 assess#en 6 3ood so00i sho2ing 7ain aging and de eriora ion, so#e 2ood ro ing, es7ecially a en ry. &ain ed 2ood ri# d)e 0or re7lace#en a #ain door and o her li#i ed areas. 2014 4 2015 Assess#en 6 . o changes re7or ed. 2016 Assess#en 6 . o changes re7or ed. 3ood siding, ri# con in)e o sho2 need 0or re7airre7lace#en . 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
LaBing	5	\$29,385	0	15	20	65	Cld 4 C+ >'ingle 7ane? 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 2009 2012 Assess#en 6 . o changes re7or ed. 2013 assess#en 6 3ood 2indo2 0ra#es sho2ing 7eeling 7ain and 2ood de eriora ion. 3 indo2s d)e 0or re7ain ing and li#i ed re7lace#en . 2014 4 2015 Assess#en 6 . o changes re7or ed. 2016 Assess#en 6 . o changes re7or ed. 3 indo2s con in)e o sho2 need 0or re7airre7lace#en . 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

.a ' /&s1 Main



. a ' /&s1 Main  
 \*ld+. %)1 05  
 \* &ildin+1 Far ' 5 )&se  
 Areal 2\$550sf

2se 34/es1  
 100% ; esidence  
 %) tes1 ) \* % / i  
 -r \* &ilt1 1916 FI) )rs1 2

system	C# of system		Pct. of system value to budget for repair-replacement				system-Component notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
&l) # 1ing5 ( rainage	5	\$29,385	0	0	20	80	&i7es in 1ase#en 4 old. All o her ne2 in 1995 ' e7 ic sys e# se7ara e 0ro# "arn Thea er . o re7or ed 7ro1le#s  200! assess#en 6 . o changes. . o re7or ed 7ro1le#s.  2009&2014 assess#en 6 . o changes. . o re7or ed 7ro1le#s.  2012 4 2014 Assess#en 6 . o changes re7or ed.  2015 assess#en 6 2a er s)77ly 7i7ing 0ro# 2ell re7laced o 1o h 0ar#ho)se and 1arn.  2016, 2018&2019, 2021&2023 Assess#en 6 . o changes re7or ed
&ri# ary5 ' econdary	10	\$58,!!0	0	0	5	95	. e2er ser%ice  200! assess#en 6 . o changes. . o re7or ed 7ro1le#s.  2009 Assess#en 6 . o changes re7or ed.  2010 assess#en 6 Ca#7) s 7ri# ary ser%ice )7graded 1y Cons) #ers =nergy o 7ro%ide addi onal ca7aci y.  2011&2016 Assess#en 6 . o changes re7or ed.  2018&2019, 2021&2023 Assess#en 6 . o changes re7or ed

. a ' /&s1 Main  
\* |d+. %)1 05  
\* &ildin+1 Far ' 5 )&se  
Areal 2\$550sf

-r \* &ilt1 1916 FI) )rs1 2

2se 34/es1  
100% ; esidence

%) tes1 ) \* % / i

---

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2onent *otes
(is ri1) ion	5	\$29,385	0	0	5	95	. e2er ser%ice

. a ' /&s1 Main  
 \*ld+. %)1 05  
 \* &ildin+1 Far ' 5)&se  
 Areal 2\$550sf

2se 34/es1  
 100% ;esidence  
 -r \* &ilt1 1916 FI))rs1 2

ystem	C#of ystem		Pct. of system value to Budget for reair-replacement				ystem-Comnent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
Ceilings	3	\$11,631	0	10	10	80	; ecen ly reno%a ed 200! assess#en 6 2009/2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. &las er on la h. 2019, 2021/2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
3 allsCase2orA	!	\$41,139	0	10	10	80	; ecen ly reno%a ed 200! assess#en 6 . o re7or ed 7ro1le#s 2009/2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. &las er on la h. ( ry2all 7ar i ions in addi ions and 2nd floor. 2019, 2021/2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
(oors	2	\$11,154	0	20	15	65	; ecen ly reno%a ed 200! assess#en 6 =D erior en ry door re7laced. 2009/2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018/2019, 2021/2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Main  
 \*ld+. %)1 05  
 \* &ildin+1 Far ' 5 )&se  
 Areal 2\$550sf

2se 34/es1  
 100% ; esidence

%) tes1 ) \* % / i

-r \* &ilt1 1916 FI) )rs1 2

ystem	C#Sof ystem		Pct. of system value to 3udget for re2air-re2acement4				ystem-Com2nent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
*loors	5	\$29,385	0	20	10	!0	; ecen ly reno%a ed 200! assess#en 6 =D erior 0ron door re7laced. 200942016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. Concre e sla14on4grade, hard2ood, %inyl ile in Ai chen and 1a hroo#. 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
"ldg., *ire, A (A, =le%a ors	5	\$29,385	0	0	10	90	' #oAe de ec ors6CC sensors. . o cen ral iire alar#. Toile roo#s A (A co# 7lian . 200! assess#en 6 . o changes. 200942016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 201842019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
-# #ed. 'ie, =D . L g., e c	3	\$11,631	0	0	15	85	200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 2009 4 2013 assess#en 6 . o changes re7or ed. 2014 Assess#en 6 =D erior concre e s e7s and ra# 7s re7laced. 2015, 2016 Assess#en 6 . o re7or ed changes. 201842019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Main  
 \*ld+. %)1 05  
 \* &ildin+1 Far ' 5 )&se  
 Areal 2\$550sf

2se 34/es1  
 100% ; esidence

%) tes1 ) \* % / i

-r \* &ilt1 1916 FI) )rs1 2

System	C# of system	Pct. of system value to budget for repair-replacement				System-Component notes
	.	Immediate	/-5 Years	0/0 Years	//1 Years	

C# totals: 100 \$58!,100 \$0 \$37,907 \$70,524 \$479,269 \$58!,100

Priority Issues Data					-! "ear Cumulative Data				
#58 "\$"00	#0	#0	0.0%	GOOD	#3 "\$90"	# 8\$521.65	6.5%	#11 "\$"54	FAI
C#\$	D%B	OCC	FCI	#A"!*+	D%B	OCC	FCI	,-Y#%A!"A!"	#A"!*+



.a' /&s1 Main  
 \*ld+. %)106  
 \*&ildin+1 6ennet5 7. 0 ' it5 Instr&cti)nal \*&ildin+  
 Areat 2"\$538sf -r \*&ilt1 1966 Fl) )rs1 2

2se 34/es1  
 40 % La1  
 60 % Classroo#

%) tes1 0 1 ( )'  
 ) %( 2 ( 3  
 4 ' #5 \* ' 1 ( ' #'  
 (\* # ) 1 ' #' "

ystem	C# of ystem	Pct. of system value to Budget for reair-replacement	Pct. of system value to Budget for reair-replacement				ystem-Com2nent *otes
			Immediate	/-5 Years	0/0 Years	//1 Years	
' r) c) re	15	\$1,598,445	0	0	0	95	Occasional 2a er inoil ra ion, #ain ained reg)larly. 2005 4 2a er inoil ra ion 7ro1le# resol%ed eDce7 0or 2a er en ering #echnical roo# hro)gh area2ay d)ring hea%y rains  200! assess#en 6 3a er inoil ra ion 7ro1le# resol%ed as 7ar ol reno%a ion.  200942015 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s. 2016 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  2018 Assess#en 6 \$reenho)se addi ion 1ricA has s)1s an ial #ois )re da#age.  2019, 2021 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  2022 Assess#en 6 ;eno%a ions and addi ions nearing co#7le ion. .o re7or ed 7ro1le#s.  2023 Assess#en 6 / aior 1)ilding reno%a ion co#7le ed
;ool	5	\$532,815	0	0	0	100	1996 4 =& ( / rool ins alled 20046 greenho)se rool d)e 0or re7lace#en  200! assess#en 6 \$reenho)se reshingled. .o o her iss)es re7or ed  2009 4 2010 Assess#en 6 .o changes re7or ed.  201142014 Assess#en 6 .o changes. ;ool ins7ec ed ann)ally, re7aired as needed. ;ool nearing end ol eD7ec ed liile.  2015, 2016 Assess#en 6 .o changes re7or ed. &roiec ed rool #e# 1rane re7lace#en 0ro# rool re7or 6 2024  2018, 2019 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  2021 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s. &roiec ed rool re7lace#en in 2023.  2022 Assess#en 6 ;eno%a ions and addi ions nearing co#7le ion. .o re7or ed 7ro1le#s.  2023 Assess#en 6 Addi ion areas 7ro%ided 2i h ne2 #e# 1rane, eDis ing 1)ilding areas recei%ed re7airs hro)gho) as needed.

.a' /&s1 Main  
\*Id+. %)106  
\*&ildin+1 6ennet5 7. 0 ' it5 Instr&cti)nal \*&ildin+  
Areat 2"%538 sf -r \*&ilt1 1966 Fl) )rs1 2

2se 34/es1  
40 % La1  
60 % Classroo#

%) tes1 0 1 ( )'  
) %( 2 ( 3  
4 ' #5 \* ' 1 (  
(\* # ) 1 ' #' "

---

ystem . , Immediate /-5 Years **0**/0 Years

.a' /&s1 Main  
 \*Id+. %)106  
 \*&ildin+1 6ennet5 7. 0 ' it5 Instr&cti)nal \*&ildin+  
 Areat 2"\$538 sf -r \*&ilt1 1966 Fl) )rs1 2

2se 34/es1  
 40 % La1  
 60 % Classroo#

%) tes1 0 1 ( )'  
 ) %( 2 ( 3  
 4 ' #5 \* ' 1 (  
 (\* # ) ! ' # ' "

ystem	C# of ystem	Pct. of system value to Budget for reair-replacement	Budget for reair-replacement				ystem-Com2nent *otes
			Immediate	/-5 Years	0/0 Years	//1 Years	
Cladding	6 \$639,3!8	0	0	0	100	" ricA, . o re7or ed 7ro1le#s on # ain 1)ilding. " ricA on greenho)se de eriora ing.	
		\$0	\$0	\$0	\$639,378	<p>200! Assess# en 6 # ini# al 1ricA2orA 7er/or #ed as 7ar o! Ash ")ilding cons r) ion.</p> <p>2009/2012 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2013 assess# en 6 . o changes re7or ed. " ricA on greenho)se s7alling, ilailing, d)e llor re7air, re7lace# en or re#o%al.</p> <p>2014 Assess# en 6 . o changes re7or ed.</p> <p>2015 Assess# en 6 . o changes re7or ed. \$reenho)se 1ricA con in)es o de eriora e.</p> <p>2016 assess# en 6 . e2 greenho)se 1eing 1)il on ca#7)s. The de eriora ing greenho)se #ay 1e de#olished.</p> <p>2018 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. \$reenho)se 1ricA con in)es o de eriora e.</p> <p>2019 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2021 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2022 Assess# en 6 ;eno%a ions and addi ions nearing co#7le ion. . o re7or ed 7ro1le#s.</p> <p>2023 Assess# en 6 / aior reno%a ion co#7le ed. Areas o! ne2 1ricA and #e al 7anel 2ere 7ro%ided. Areas o! 1ricA da #age 2ere re7aired.</p>	

.a' /&s1 Main  
\*ld+. %)1 06  
\*&ildin+1 6ennet5 7. 0 ' it5 Instr&cti)nal \*&ildin+

2se 34/es1  
40 % La1  
60 % Classroo#

%)tes1 0 1 ( )'  
) %( 2 ( 3

.a' /&s1 Main  
 \*Id+. %)1 06  
 \*&ildin+1 6ennet5 7. 0 ' it5 Instr&cti)nal \*&ildin+  
 Area2"538 sf -r \*&ilt1 1966 Fl) )rs1 2

2se 34/es1  
 40 % La1  
 60 % Classroo#

%) tes1 0 1 ( )'  
 ) %( 2 ( 3  
 4 ' #5 \* ' 1 (  
 (\* # ) ! ' # ' "

system	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	system-Component notes
E<AC >con in)ed?	25	\$2,664,0!5	0	0	0	0	2012 assess#en 6 'ys e# con rols )7graded o ( (C as 7ar o0 ne2 energy
			\$0	\$0	\$0	\$0	#anage#en sys e#. Ac )a ors on da#7ers and con rol %al%es re7laced as re9)ired.
							2013 4 2015 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.
							2016 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

. a ' / & s1 Main  
 \* Id+. %) 106  
 \* &ildin+1 6ennet5 7. 0 ' it5 Instr&cti) nal \* &ildin+  
 Areat 2" \$538 sf -r \* &ilt1 1966 Fl) )rs1 2

2se 34/es1  
 40 % La1  
 60 % Classroo#

%) tes1 0 1 ( )'  
 ) %( 2 ( 3  
 4 ' #5 \* ' 1 ( ' #'  
 (\* # ) ! ' #'

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
&l) # 1ing\$ ( rainage	5	\$532,815	0 \$0	0 \$0	10 \$53,282	90 \$479,534	. e2 0iD )res and associa ed eD7osed 7l) # 1ing ins alled in 1999. La1ora ory 7l) # 1ing d) e loor re7lace#en .  20034 . e2 sinAs l 0a)ce s ins alled. 3 as e li0 s a ion a end o0 li0e, 0loa s icAs, 7) # 7 0ails, holding anA corroding, 2orn o) . / ay 1e deco# # issioned as 7ar o0 7ro7osed reno%a ion.  200! Assess#en 6 &l) # 1ing re7laced as re9)ired 1y ne2 1)ilding layo) . =Dis ing oile roo#s re#ain )nchanged. 3 as e li0 s a ion re7laced 2i h ne2 sys e#.  200942015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#  2016, 2018, 2019, 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  2022 Assess#en 6 ;eno%a ions and addi ions nearing co#7le ion. . o re7or ed 7ro1le#s.  2023 Assess#en 6 / aior 1)ilding reno%a ion co#7le ed. . e2 and )7graded 7l) # 1ing hro)gho) .
&ri#ary' econdary	9	\$959,06!	0 \$0	0 \$0	5 \$47,953	95 \$911,114	&ri#ary 4 no re7or ed 7ro1le#s 200! Assess#en 6 &ri#ary 0eeds Ash " )ilding, no re7or ed 7ro1le#s.  2009 Assess#en 6 . o changes re7or ed.  2010 assess#en 6 Ca#7)s 7ri#ary ser%ice )7graded 1y Cons) #ers =nergy o 7ro%ide addi onal ca7aci y.  201142015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  2018 Assess#en 6 The 1)ilding is ser%ed %ia an eD erior 7ri#ary 7ad4#o)n s2i ch > ' l C & / E413? This )ni s) 1s a ion consi s o0 a #ain s2i ch and 2o rans/or#ers > one ra ed !50A<A 2i h a 480\$2! !< secondary and he o her a 15A<A 2i h a 240\$120< secondary? ;eco# #ended ha gear is eDercised, cleaned, igh ened d)ring a sched)led o) age. / os 120< ) iliBa ion 7o2er 2i hin he 1)ilding is ser%ed %ia s#aller s e74do2n rans/or#ers 0ed 0ro# he 480< sys e#. 'ys e#s hro)gho) he 1)ilding 2ere #os ly )7graded aro)nd 200! 2hen he Ash " )ilding 2as added on . o i# #edia e concerns 2i h ligh ing, 0ire alar#, or o her sys e#s.  2019 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

2022 Assess# en 6 ; eno%a ions and addi ions nearing co#7le ion. . o re7or ed 7ro1e#s.

2023 Assess# en 6 / aior reno%a ion co#7le ed. . e2 s)147anels and 1ranch 2iring  
hro)gho) .

. a ' / & s1 Main  
 \* Id+. %) 106  
 \* & idin+1 6 ennet5 7. 0 ' it5 Instr&cti) nal \* & idin+  
 Areat 2" \$538 sf -r \* & ilt1 1966 Fl) )rs1 2

2 se 34 / es1  
 40 % La1  
 60 % Classroo#

%) tes1 0 1 ( )'  
 ) %( 2 ( 3  
 4 ' #5 \* ' 1 ( ' #'  
 (\* # ) 1 ' #' "

system	C# of system	\$ of system	Pct. of system value to budget for repair-replacement				system-Component notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
(is ri1) ion	5	\$532,815	0	0	10	90	. e2 in 1999 200! Assess# en 6 # ini# al # odiica ions, no re7or ed 7ro1le#s. 200942015 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2016, 2018, 2019, 2021 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2022 Assess# en 6 ; eno%a ions and addi ions nearing co#7le ion. . o re7or ed 7ro1le#s. 2023 Assess# en 6 / aior 1) ilding reno%a ion co#7le ed.
Ligh ing	5	\$532,815	0	0	10	90	20014Co#7le e T8 )7grade 0)nded 20024ne2 ligh ing ins alled 200! Assess# en 6 Classroo# ligh ing re7laced as 7ar o0 ceiling re7lace# en . Corridor ligh ing reins alled. . o re7or ed 7ro1le#s. 2009 4 2011 assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2012 assess# en 6 . o changes re7or ed. Ligh ing )7grade no re9)ired. 2013 assess# en 6 ' o#e ligh ing )7grades 7erlor#ed as 7ar o0 7erlor#ance con rac 2orA. 2014 Assess# en 6 . o changes re7or ed. 2015, 2016, 2018, 2019, 2021 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2022 Assess# en 6 ; eno%a ions and addi ions nearing co#7le ion. . o re7or ed 7ro1le#s. 2023 Assess# en 6 / aior reno%a ion co#7le ed. . e2 L= ( ligh ing and con rols hro)gho) .



. a ' /&s1 Main

2se 34/es1



. a ' / &s1 Main  
 \*ld+. %)1 06  
 \* &ildin+1 6ennet5 7. 0 ' it5 Instr&cti)nal \* &ildin+  
 Area1 2"\$538 sf

-r \* &ilt1 1966 Fl) )rs1 2

2se 34/es1  
 40 % La1  
 60 % Classroom#

%) tes1 0 1 ( )'  
 ) %( 2 ( 3  
 4 ' #5 \* ' 1 (  
 (\* # ) 1 ' # ' "

System	C#	of System	Pct. of system value to Budget for repair-replacement				System-Component Notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
(doors	2	\$213,126	0	0	10	90	=D erior# original hollow #e al doors 2005hinges and hardware (hailing and de eriora ing, doors r) s ing a 1o o#s, d) e llor re7lace# en . -n erior# Original solid core wood doors. *inish 2orn ,so#e s2elling. 200! Assess# en # =D erior# >3? eD erior doors re7laced -n erior# >3? ne2 doors added, >2? re#o%ed. 2009/2012 assess# en # . o changes re7or ed. . o re7or ed 7ro1le#s. 2013 assess# en # Classroom# door hardware changed o locAdo2n y7e llor sec)ri y. 2014 Assess# en # . o changes re7or ed. 2015, 2018, 2019, 2021 assess# en # . o changes re7or ed. . o re7or ed 7ro1le#s. 2022 Assess# en # ;eno#a ions and addi ions nearing co#7le ion. . o re7or ed 7ro1le#s. 2023 Assess# en # / aior reno#a ion co#7le ed. . e2 doors hro)gho) .
			\$0	\$0	\$21,313	\$191,813	

. a ' /&s1 Main  
 \*ld+. %)106  
 \*&ildin+1 6ennet5 7. 0 ' it5 Instr&cti)nal \*&ildin+  
 Areat 2"\$538 sf -r \*&ilt1 1966 Fl) )rs1 2

2se 34/es1  
 40 % La1  
 60 % Classroo#

%) tes1 0 1 ( )'  
 ) %( 2 ( 3  
 4 ' #5 \* ' 1 ( ' #'  
 (\* # ) ! ' #' "

system	C# of system	Pct. of system value to budget for repair-replacement	Pct. of system value to budget for repair-replacement				system-Component notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
*floors	3	\$319,689	0	0	20	80	G)arry ile in corridors, no re7or ed 7ro1le#s. 'one ne2 car7e , ne2 <CT.  20044 'one o'ffices s ill need ne2 car7e .  200! Assess#en 6 flooring re7laced as re9)ired 1y reno%a ion. 'hee %inyl ins alled in la1s. <CT ins alled in s#all 7or ions ol classroo#s >near sinAs? Car7e ins alled in o'ffice, so#e classroo#s.  200942014 assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  2015 assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  2018 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s. Car7e re7lace#en in selec ed area.  2019 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  2021 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  2022 Assess#en 6 ;eno%a ions and addi ions nearing co#7le ion. .o re7or ed 7ro1le#s.  2023 Assess#en 6 / a'or reno%a ion co#7le ed. .e2 flooring hro)gho) .
"ldg., *ire, A (A, =le%a ors	2	\$213,126	0	0	10	90	' air2ay doors 7ro77ed o7en on lo2er le%el. 8niseD A (A oile roo# added. .e2 'lire alar# sys e#. =le%a or ins alled in 1999, no re7or ed 7ro1le#s  200! Assess#en 6 .e2 eDi signage added. =Dis ing e#ergency ligh ing re#ains. Connec ion o Ash ")ilding resol%es A (A oile roo# iss)es.  200942014 assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  2015 assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  2018 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  2019 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

2022 Assess#en 6 ;eno%a ions and addi ions nearing co#7le ion. . o re7or ed 7ro1le#s.

2023 Assess#en 6 / aior reno%a ion co#7le ed. . e2 1)ilding 0ire alar# sys e# ,  
A (A i#7ro%e#en s hro)gho) , ele%a or ca1 in erior 0inishes re7laced.

.a' /&s1 Main

\*ld+. %)106

\*&iildin+1 6ennet5 7. 0 ' it5 Instr&ct4sd134i8 . 333

2se 34/es1

40 % La1

%)tes1 0 1 ( )'

) %( 2 ( 3



.a' /&s1 Main  
 \*ld+. %)10"  
 \*&ildin+1 Instr&cti)n %)rt5  
 Areat 21\$\*80sf -r \*&iltl 1968 Fl))rs1 1

%)test ) 1 % # i 6 \* \* + , ' ( i  
 (\* # ) 1 ' ' #2 ( 3 , "  
 7 ( ) i

ystem	C#Sof ystem		Pct. of system value to Budget for reair-reacement4				ystem-Comnent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
' r)c )re	12	\$595,332	0	0	5	95	8n7ro ec ed s eel s r)c )re 2i h 1locA inüill. 20004 ' o#e cracAs in 2alls, so#e 1locAs re7laced, s ill so#e 2a er inüil ra ion. 20034se%ere eD erior 2all da#age 4 see cladding no es. 200! assess#en ö ' r)c )re a eD erior 2alls #odüüed as 7ar oü reno%a ion 4 eD erior 2all 2as 7ro%iding la eral s)77or . =D erior col) #n de eriora ion >d)e o 2a er inüil ra ion? re7aired. 3 a er inüil ra ion 7ro1le#s resol%ed as 7ar oü reno%a ion. 200942014 assess#en ö . o changes re7or ed. . o re7or ed 7ro1le# 2015 Assess#en ö . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en ö " )ilding in good s r)c )ral condi ion, no deliciencies no ed. 2019, 202142023 Assess#en ö . o changes re7or ed. . o re7or ed 7ro1le#s.
			\$0	\$0	\$29,767	\$565,565	

.a' / &s1 Main  
 \*ld+. %)1 0"  
 \*&ildin+1 Instr&cti)n %)rt5  
 Areal 21\$\*80sf -r \*&iltl 1968 Fl))rs1 1

%)test ) 1 % # i 6 \* \* + , ' ( i  
 (\* # ) 1 ' ' #2 ( 3 , "  
 7 ( ) i

System	C# of system	Pct. of system value to budget for repair-replacement	Budget for repair-replacement				System-Component notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
000	! \$34!,2!!	0	!0	0	30	Trocal roof in 1998	
		\$0	\$243,094	\$0	\$104,183	2003 iceicles and roof r) no0 clinging o dri7 edge >co%ered o%er 2i h Trocal roof?, r) nning do2n 2all and in o #or ar join s, ca) sing se%ere 2all da#age. LacA ol g) ers eDacer1a ing 7ro1le#.	
						200! assess#en 6 \$) ers and do2ns7o) s added. .o re7or ed 7ro1le#s	
						2009 Assess#en 6 .o changes re7or ed.	
						2010 Assess#en 6 .o changes re7or ed.	
						2011 assess#en 6 / inor roof leaAs re7aired as 7ar o0 ann)al #ain enance. ; oo0 ins7ec ed ann)ally, no re7or ed 7ro1le#s, 1) roof nearing end o0 ed7ec ed li0e.	
						2012 assess#en 6 .o changes re7or ed.	
						2013 assess#en 6 .o changes re7or ed.	
						2014 assess#en 6 ; oo0 ins7ec ed, d)e 0or re7lace#en 2i hin 5 years.	
						2015 assess#en 6 ; oo0 #e#1rane near end o0 ed7ec ed li0e. &rolec ed roof #e#1rane re7lace#en 0ro# roof re7or 6 2019	
						2018 Assess#en 6 'ingle47ly #e#1rane 2i h ins)la ion. ; oo0 re7lace#en sched)led in 2024.	
						2019, 2021 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.	
						2022:2023 Assess#en 6 .o re7or ed 7ro1le#s. ; oo0 re7lace#en 2i hin neD 0i%e years.	

.a' / &s1 Main  
 \*ld+. %)10"  
 \*&ildin+1 Instr&cti)n %)rt5  
 Areat 21\$\*80sf -r \*&iltl 1968 Fl))rs1 1

2se 34/es1  
 100% <o;Tech  
 %)test ) 1 % # i 6 \* \* + , ' ( i  
 (\* # ) 1 ' ' #2 ( 3 , "  
 7 ( ) i

System	C# of System	S of System	Pct. of system value to Budget for repair-replacement				System-Component Notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
Slabing	5	\$248,055	0	5	5	90	<p>Initial original) # 0ra#e single 7ane, in fair condition, resealed in 2000.</p> <p>200! assess#en 6 All eD erior 2indo2s in nor h and so) h 2alls re7laced 2i h ins)la ed al) #in) # 0ra#e )ni s as 7ar ol reno%a ion. 3 indo2s in eas 2all no re7laced &gt;#ini#al?</p> <p>2009/2014 Assess#en 6 . o changes re7or ed.</p> <p>2015 Assess#en 6 . o changes re7or ed.</p> <p>2018, 2019, 2021/2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p>
Cladding	15	\$144,165	0	5	5	90	<p>locA. ; e7ain ed, 2a er7rooled and ca)IAed in 20014 / oni or condition 0or</p> <p>20014rec)rring leaAing 7ro1le#s.</p> <p>20024en ry cano7y re7aired</p> <p>200342a er in0il ra ion 7ro1le# con in)es, 1locA se%erely da#aged &gt;s7alled, sha ered, gro2ing algae? 0ro# rool r)no0 a #os eD erior door ia#1s on nor h and so) h sides ol 1)ilding. concre e lin els also sho2ing da#age. (ee7 raAed #or ar 0oin s allo2ing 2a er in o 1locA and s7alling ol 1locA s)riace. ; e7air or re7lace#en ol da#aged 1locA re9)ired. ; ool condi ion 2ill also re9)ire re7air o a%oid 0) )re da#age.</p> <p>200! assess#en 6 . or h and so) h eD erior concre e 1locA 2alls re7laced 2i h 7relinished #e al siding and concre e 1locA 1ase.</p> <p>All re#aining 2alls cleaned, re7aired as re9)ired, and re7ain ed.</p> <p>2009/2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2018/2019, 2021/2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p>



.a' /&s1 Main  
 \*ld+. %)10"  
 \*&ildin+1 Instr&cti)n %)rt5  
 Areal 21\$\*80sf -r \*&iltl 1968 Fl))rs1 1

2se 34/es1  
 100% <oTech

%)test ) 1 % # i 6 \* \* + , ' ( i  
 (\* # ) 1 ' ' #2 ( 3 , "

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Coment *otes
E<AC	20	\$992,220	0 \$0	5 \$49,611	5 \$49,611	90 \$892,998	<p>Original s ea# 0ro# 7o2er 7lan 1)ilding? 4 in 7oor 1) 2orAing condi ion, 1)ilding is hea ed, al ho)gh no 7ro7erly.</p> <p>2003s ea# 7i7es re7or ed in 7oor condi ion, 0ail)res o0 en re9)ire re#o%al o0 se%eral 0ee o0 de eriora ed 7i7e. ' o#e AE8:s non40)nc ioning and disconnec ed. A5C only 7ro%ided o a 0e2 classroo#s 4 #os ( J )ni s a end o0 li0e.</p> <p>20054Cne ( J )ni has 0ailed, 1) re7airs no 7lanned d)e o)7co#ing 7ro7osed reno%a ion. ' o#e 0in )1e )ni s da#aged. /os ceiling #o)n ed )ni hea ers no 2orAing. -nade9)a e %en 0ila ion in darAroo#, clay #iDing area and Ailn area.</p> <p>200348ni %en 0ila or in one classroo# re7laced.</p> <p>200! Assess#en 0        =as hal0 o0 1)ilding 4 7i7ing, )ni s and con rls re7laced. . o re7or ed 7ro1le#s. ' ea# line re7aired and reins)la ed as re9)ired.        &gt;2? #eBBanine4#o)n ed AE8:s 7ro%ide hea ing and cooling in eas hal0 o0 1)ilding. Cooling#&gt;2? gro)nd #o)n ed Trane ( J )ni s added.        Ceiling #o)n ed gas40ired hea ers added a o%erhead door loca ions.        3es hal0 o0 1)ilding4eDis ing )ni hea ers re)sed, con rls #ini#al. . o re7or ed 7ro1le#s.</p> <p>2009 Assess#en 0 . o changes re7or ed.</p> <p>2010 Assess#en 0 \$as #e er sys e#s re7laced 1y Cons) #ers =energy.</p> <p>2011 assess#en 0 . o changes re7or ed. Clde E&lt;AC e9)i7#en s ill o7era ing, 1) 7as end o0 )se0)l li0e and d)e 0or re7lace#en .</p> <p>2012 assess#en 0 'ys e# con rls on ne2er E&lt;AC e9)i7#en )7graded o ( ( C as 7ar o0 ne2 energy #anage#en sys e#. Ac )a ors on da#7ers and con rol %al%es re7laced as re9)ired.</p> <p>201342015 Assess#en 0 . o changes re7or ed. Clde E&lt;AC e9)i7#en s ill o7era ing, 1) 7as end o0 )se0)l li0e and d)e 0or re7lace#en .</p>

.a' /&s1 Main  
 \*ld+. %)10"  
 \*&ildin+1 Instr&cti)n %)rt5  
 Areal 21\$\*80sf -r \*&iltl 1968 Fl))rs1 1

2se 34/es1  
 100% <oTech

%)test ) 1 % # i 6 \* \* + , ' ( i  
 (\* # ) 1 ' ' #2 ( 3 , "

\*&ildin+1 Instr&cti)n %)rt5

Areat 21\$\*80sf -r \*&iltl 1968 FI))rs1 1

7 ( ) i

System	C# of system		Pct. of system value to Budget for repair-replacement				System-Component Notes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
E<AC >con in)ed?	20	\$992,220	0	0	0	0	<p>2016 Assess#en 6 . o changes re7or ed.</p> <p>2018 Assess#en 6</p> <p>The E&lt;AC sys e# is a co#1ina ion o\ classroo# )ni %en ila ors and air handling )ni s ser%ed 1y ho 2a er hea ing s7li ( J A;C o) oor condensing )ni s. The 1)ilding is a #e al 1)ilding 2i h #ini#al ins)la ion and is c)ren ly )nder4) iliBed. ' ho7 Classroo#s a77ear o ha%e #ini#) # hea and %en ila ion &gt;ser%ed 1y o%erhead doors? ;eco# #end old s ea# radia ors &gt;a sho7 classroo#s s7orage? o 1e re7laced 2i h ho 2a er. \$as 0ired )ni hea ers are o re#ain.</p> <p>' ea# and condensa e ser%ices en er in o he 1)ilding, are con%er ed o ho 2a er hea ing and #ainly ser%e 7eri#e er 0in )1e or ho 2a er coils loca ed in cen ral AE8s. =as o0ices areas are ser%ed 1y 2all h)ng s7li air condi ioning )ni s 2hich a77ear in good 2orAing condi ion.</p> <p>2019 Assess#en 6 ;e7laced one hea er. . o re7or ed 7ro1le#s.</p> <p>2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2022:2023 Assess#en 6 ' ea# 7i7es need o 1e re7laced.</p>

.a' /&s1 Main



.a' /&s1 Main  
\*ld+. %)10"

2se 34/es1

%)test ) 1 % #

l 6 \* \* + , ' ( l

.a' /&s1 Main  
\*ld+. %)1 0"  
\*&ildin+1 Instr&cti)n %)rt5  
Areal 21\$\*80sf -r \*&iltl 1968 Fl))rs11

2se 34/es1  
100% <o;Tech

%)test ) 1 % # i 6 \* \* + , ' ( i  
(\* # ) 1 ' ' #2 ( 3 , "  
7 ( ) i

---

ystem . , Immediate



. a ' / & s1 Main  
 \*ld+. %)1 0"  
 \* &ildin+1 Instr&cti)n %)rt5  
 Areal 21\$\*80sf -r \* &iltl 1968 Fl))rs1 1

2se 34/es1  
 100% <o;Tech  
 %)test ) 1 % # i 6 \* \* + , ' ( i  
 (\* # ) 1 ' ' #2 ( 3 , "  
 7 ( ) i

System	C# of System	S	Pct. of system value to Budget for repair-replacement				System-Component Notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
(doors	3	\$148,833	5 \$7,442	5 \$7,442	5 \$7,442	85 \$126,508	<p>=D erior hollo2 #e al doors r) s ing, sills de eriora ing, a le2 re7laced in 1998.</p> <p>20024#ain CE door re7laced, o hers C+.</p> <p>(a #age o lin els and ia# 1s #ay re9)ire re#o%al o0 doors o re7air. -n erior doors C+.</p> <p>200! assess#en 6 All eD erior #an and o%erhead doors and lra#es re7laced.          =as hal0 o0 1)ilding 4 in erior doors re7laced.          3es hal0 o0 1)ilding 4 in erior doors re#ain as is, no re7or ed 7ro1le#s.</p> <p>200942013 Assess#en 6 . o changes re7or ed.</p> <p>2014 assess#en 6 Classroo# door hard2are changed o locAdo2n y7e l0r sec)ri y.</p> <p>2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2018 Assess#en 6 ' elec doors need o 1e re7laced.</p> <p>2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p>
*loors	3	\$148,833	5 \$7,442	5 \$7,442	5 \$7,442	85 \$126,508	<p>concre e 4 C+</p> <p>200! assess#en 6 =as hal0 o0 1)ilding 4 lloors 7a ched and coa ed 2i h e7oDy.          =Di ing rench drains re#o%ed and in0illed 2i h concre e.          Car7e ins alled in o0lices and classroo#.          3es hal0 o0 1)ilding 4 no changes, no re7or ed 7ro1le#s.</p> <p>200942015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.          Concre e sla14on4grade.</p> <p>2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p>

. a ' / & s1 Main  
 \* Id+. %) 1 0"  
 \* & lldin+1 Instr&cti)n %) rt5  
 Areal 21\$\*80sf -r \* & lltl 1968 Fl))rs1 1

%)test ) 1 % # i 6 \* \* + , ' ( i  
 (\* # ) 1 ' ' #2 ( 3 , "  
 7 ( ) i

System	C# of system	S of system	Pct. of system value to Budget for repair-replacement				System-Component notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
"ldg., *ire, A (A, =le%a ors	2	\$99,222	5	5	5	85	*ire alar#s )7da ed. Toile s no A (A, 1) s7ace eDis s o re2orA. =Di signs re7laced. . o s7rinAler sys e#.  200! assess#en i =as hal o l 1)ilding i *ire alar# )7graded as re9)ired 1y reno%a ion. =#ergency and eDi ligh ing )7graded as re9)ired 1y reno%a ion. . o s7rinAler sys e#. A (A oile roo#s added.  3 es hal o l 1)ilding 4 no changes, no re7or ed 7ro1le#s. 2009 Assess#en i . o changes re7or ed.  2010 Assess#en i A (A door o7eners added o oile roo#s.  201142015 Assess#en i . o changes re7or ed. . o re7or ed 7ro1le#s.  2016, 2018, 2019, 2021 Assess#en i . o changes re7or ed. . o re7or ed 7ro1le#s.  202242023 Assess#en i . o re7or ed 7ro1le#s.
-# #ed. 'ie, =D. L g., e c	2	\$99,222	5	5	5	85	&a%ing 7ro1le#s 4 so#e de eriora ion o l side2alAs 20034lo resealed and res ri7ed.  200! assess#en i concre e side2alAs on so) h side o l 1)ilding re7laced. . o re7or ed 7ro1le#s.  200942015 Assess#en i . o changes re7or ed. . o re7or ed 7ro1le#s.  2016 Assess#en i . o changes re7or ed. . o re7or ed 7ro1le#s.  2018 Assess#en i As7hal 7a%ing is in 7oor condi ion and sho)ld 1e re7laced.  2019, 202142023 Assess#en i . o changes re7or ed. . o re7or ed 7ro1le#s.



.a' /&s1 Main  
 \*ld+. %)10"  
 \*&ildin+1 Instr&cti)n %)rt5  
 Areal 21\$"80sf -r \*&iltl 1968 Fl))rs1 1

2se 34/es1  
 100% <osTech  
 %)test ) 1 % # i 6 \* \* + , ' ( i  
 (\* # ) 1 ' ' #2 ( 3 , "  
 7 ( ) i

ystem	C#Sof ystem	Pct. of system value to Budget for re2air-re2acement4				ystem-Com2nent *otes
.	,	Immediate	/-5 Years	0/0 Years	//1 Years	

C#\$"otals 100 \$4,961,100 \$49,611 \$436,577 \$245,574 \$4,229,338 \$4,961,100

Priority Issues Data					-! " ear Cumulati#e Data				
#4\$961\$100	#49\$611	#0	1.0%	GOOD	#486\$188	#238\$133	9.8%	#99\$222	FAI
C#\$	D%B	OC(	FCI	#A"l*+	D%B	OC(	FCI	, -Y#%Al*"Al*	#A"l*+

. a ' /&s1 Main

\* |d+. %)1 08

\* &ildin+1 8es M) rf) rd Instr&cti) nal \* &ildin+

2se 34/es1

55 % A) di ori) #

45 % Classroo#

%)tes1

) %( 2 ( 8

( , , % 5 \* &

2015 assess#en 6 &roiec ed rool #e#1rane re7lace#en 0ro# rool re7or 6 2024

2016 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

2018 Assess#en 6 ;ool sched)led 0or re7lace#en in 2024.

2019 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

2021 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.  
&roiec ed rool re7lace#en in 2026.

202242023 Assess#en 6 &roiec ed re7lace#en in 2026. .o re7or ed 7ro1le#s.

---

\$laBing	5	\$192,645	0	0	15	85	Original 4 good condi ion
			\$0	\$0	\$28,897	\$163,748	

200! assess#en 6 .o changes. .o re7or ed 7ro1le#s.

2009 42015 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

2016, 201842019, 202142023 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

---

Cladding	5	\$192,645	0	0	5	95	"ricA, .o re7or ed 7ro1le#s
			\$0	\$0	\$9,632	\$183,013	

200! assess#en 6 .o changes. .o re7or ed 7ro1le#s.

200942016 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

201842019, 202142023 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

.a' /&s1 Main



. a ' /&s1 Main 2se 34/es1 %)tes1 ) % ( 2 ( 8  
 \*ld+. %)1 08 55 % A)di ori) # ( , , % 5 \* &  
 \* &ildin+1 8es M)rf)rd Instr&cti)nal \* &ildin+ 45 % Classroo#  
 Areal 11\$184sf -r \* &ilt1 1969 FI))rst 1

ystem	C#Sof ystem		Pct. of system value to Budget for reair-replacement				ystem-Comnent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
E<AC >con in)ed?	25	\$963,225	0	0	0	0	2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 ' ea# is s)77lied o he 1)ilding 2i h a ho 2a er con%er er )sed 0or he ")ilding:s 7ri#ary hea ing sys e# a he 7eri#e er o0 he 1)ilding. ' ea# hea ing AE 8s are o 1e re7laced 2i h ne2 ho 2a er sys e# ha c)rren ly ser%es he a)di ori) #. =Dis ing gas40ired ; T8 #odel TCE301*400A( 2as ins alled in 2012. The air condi ion does no o7era e 2i h no de#and 0or cooling in he s7ace. ;eco# #end con r0ls )7grade 0or he E<AC sys e#s ser%ing he en ries o incor7ora e sec)ri y access con rol. ;eco# #end con rol )7grades o 1e in egrsa ed in o he Ca#7)s "= / ' . (o#es ic ho 2a er hea er is elec ric. The 'chool (is ric sho)ld consider a ne2 gas0ired 2a er hea er in he 0) )re 0or energy sa%ings. >The eDis ing gas ser%ice a77ears o 1e a 3L 7i7ed in o he Classroo# 1)ilding?  2019 Assess#en 6 4 hea ers re7laced. . o 7ro1le#s re7or ed.  2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  2022 Assess#en 6 8ni %en ila ors and <A< 1oDes 2ere re7laced  2023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.
&l) # 1ing5 ( rainage	5	\$192,645	0	5	20	15	&l) # 1ing 0iD )res and associa ed eD7osed 7l) # 1ing recen ly re7laced. 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s.  200942011 Assess#en 6 . o changes re7or ed.  2012 Assess#en 6 . e2 2a er hea er ins alled.  2013 assess#en 6 Toile roo#s reno%a ed and 0iD )res reloca ed as necessary 0or #ee A (A goals. 8rinals re7laced.  201442015, 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  2018 Assess#en 6 ;eco# #end ne2 roo0 drains and o%er0lo2 drains a i#e o0 roo0 )7grades o he c)rren /ansard roo0 sys e#.

2019, 2021-2023 Assessment of changes reformed. . o reformed 7role#s.



. a ' /&s1 Main  
 \*ld+. %)1 08  
 \* &ildin+1 8es M)rf)rd Instr&cti)nal \* &ildin+  
 Area1 11\$184sf -r \* &ilt1 1969 FI))rs1 1

2se 34/es1  
 55 % A)di ori) #  
 45 % Classroo#

%)tes1  
 ) % ( 2 ( 8  
 ( , , % 5 \* &

System	C#	System Value	Pct. of system value to Budget for repair-replacement				System-Component Notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
(is ri1) ion	5	\$192,645	0	5	5	90	. o re7or ed 7ro1le#s 200! assess#en 6 . o changes . . o re7or ed 7ro1le#s. 200942016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 201842019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
Ligh ing	5	\$192,645	5	5	5	85	Corridor ligh ing re7laced in 2001. A)di ori) # ligh ing 0)nded 0or re7lace#en 2i h co#7ac 0l)orescen . 200! assess#en 6 recessed can ligh ing in a)di ori) # )7graded o co#7ac 0l)orescen . 2009 Assess#en 6 . o changes re7or ed. 2010 Assess#en 6 A 0e2 T12 0iD )res re#ain, d)e 0or )7grade o T8 2011 assess#en 6 . o changes re7or ed. 2012 assess#en 6 Ligh ing )7graded as 7ar 0l =C / con rac . 2013 assess#en 6 occ)7ancy sensors added o con rol classroo# ligh ing. 201442015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 Ligh ing is #ainly T8 0l)orescen . ;eco# #end re7lace#en 2i h L= ( echnology and )7graded ligh ing con rols as 1)dge allo2s o lo2er o7era ing and energy cos s. =#ergency ligh ing is ser%ed hro)gho) )sing )ni 1a ery N1)geye0 s yle 0iD )res. *) )re ligh ing )7grades 2ill rigger an )7grade o c)rren li0e sa0e y code re9)ire#en s. 2019, 2021, 2022 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. ;e7lace C*L ligh ing 2i h L= ( la#7s in neD 0i%e years.





. a ' /&s1 Main 2se 34/es1 % tes1 ) % ( 2 ( 8  
 \*ld+. %)1 08 55 % A) di ori) # ( , , % 5 \* i  
 \* &ildin+1 8es M) rf) rd Instr&cti) nal \* &ildin+ 45 % Classroo#  
 Area 11\$184sf -r \* &ilt1 1969 FI) ) rs1 1

system	C# of system		Pct. of system value to Budget for re2air-re2acement4				system-Com2nent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
( oors	2	\$!! ,058	0	0	10	90	=D erior6 Original hollo2 #e al doors 20054hinges and hard2are lailing and de eriora ing, doors r) s ing a 1o o#s, d)e 0or re7lace#en . -n erior6 Original solid core 2ood doors. *inish 2orn ,so#e s2elling. 200! assess#en 6 =D erior doors cleaned, 7a ched and re7ain ed. Eard2are and doors s ill d)e 0or re7lace#en . -n erior doors 4 no changes. 2009 Assess#en 6 . o changes re7or ed. 2010 Assess#en 6 . o changes re7or ed. 2011 assess#en 6 =D erior doors con in) ing o de eriora e. ( oors and hard2are are a end o0 heir )se0) l lie and d)e 0or re7lace#en . 2012 assess#en 6 &en ho) se door re7laced. 2013 assess#en 6 All classroo# door hard2are 1e changed o locAdo2n y7e 0or sec) ri y. 2014 Assess#en 6 . o changes re7or ed. 2015 Assess#en 6 . o changes re7or ed. 2016 Assess#en 6 . o changes re7or ed. =D erior en rance doors con in) ing o de eriora e. ( oors and hard2are are a end o0 heir )se0) l lie and d)e 0or re7lace#en . 2018 Assess#en 6 . o changes re7or ed. 2019 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Main

\*ld+. %)1 08

\*&ildin+1 8es M)rf)rd Instr&cti)nal \*&ildin+

Area1 11\$184sf

-r \*&ilt1 1969 FI))rs1 1

2se 34/es1

55 % A)di ori) #

45 % Classroo#

%)tes1

) %( 2 ( 8

( , , % 5 \* &

2009-2016 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

2018 Assess# en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.  
' elec ed side2alAs re7laced in 201!.

2019, 2021-2023 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

C#\$"otals 100 \$3,852,900 \$9,632 \$339,055 \$473,907 \$3,030,306 \$3,852,900

Priority Issues Data					-! " ear Cumulati#e Data				
#3852900	#9632	#0	0.3%	GOOD	#34868"	#156042	9.1%	#"\$058	FAI
C#\$	D%B	OCC	FCI	#A"!*+	D%B	OCC	FCI	,-Y#%A!*"A!*	#A"!*+

. a ' /&s1 Main  
 \*ld+. %)1 09  
 \*&ildin+1 D)nald . . \*&rns 8i (rar4 and Ad ' in.  
 Areal 28\$"20sf - r \*&ilt1 1966 FI) )rs1 2

2se 34/es1  
 60 % Ad#inis ra ion  
 40 % Li1rary

%) tes1 ) % ( 94 / 5 )  
 / )' i  
 2019 4 . e2 2ri ing la1 co#7le ed a li1rary

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
' r)c )re	15	\$1,483,440	0 \$0	0 \$0	5 \$74,172	95 \$1,409,268	. o re7or ed 7ro1le#s 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 CracA in concre e 1ase#en 2all has 1een inieced o 7re%en 2a er leaAge. 8nsigh ly 1) no re7resen a i%e ol s r)c )ral de0iciency. 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
; oo0	5	\$494,480	0 \$0	0 \$0	80 \$395,584	20 \$98,896	'ingle 7ly =& ( / , ins alled in 1999, . o re7or ed 7ro1le#s. 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 2009 42010 Assess#en 6 . o changes re7or ed. 2011 assess#en 6 ; oo0 ins7ec ed ann)ally, no re7or ed 7ro1le#s, 1) roo0 7as hal0 ol eD7ec ed li0e. 2012 42014 assess#en 6 ; oo0 ins7ec ed, re7aired as necess128en (7ec ed, re7aire) . as h,d.099456 0 0 1 251 . 2016 Assess#en 6 ol 1hanges re7orr ed. . o re7or ed 7ro1le#s.

. a ' / & s1 Main  
 \* Id + . % ) 1 0 9  
 \* & l d i n + 1 D ) n a l d . . \* & r n s 8 i ( r a r 4 a n d A d ' i n .  
 A r e a l 2 8 \$ " 2 0 s f - r \* & i l t 1 1 9 6 6 F I ) ) r s 1 2

2 s e 3 4 / e s 1  
 6 0 % A d # i n i s r a i o n  
 4 0 % L i b r a r y

system	C# of system		Pct. of system value to Budget for repair-replacement				system-Component notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
Cladding	6	\$593,316	5	0	20	15	
			\$29,669	\$0	\$118,675	\$445,032	200! assess# en 6 . o changes re7or ed 7ro1le#s " ricA screen 2all s)rro)nding chillers6 1ricA a o7 o0 2all and a lo)%ers are de eriora ing 4 #or ar loosening, so#e 1ricAs loose, d)e 0or )cA7oin ing. 2009-2010 Assess# en 6 . o changes re7or ed. 2011 assess# en 6 . o changes re7or ed. / asonry a lo)%ers s ill d)e 0or re7air. 2012-2015 Assess# en 6 . o changes re7or ed. / asonry a lo)%ers s ill d)e 0or re7air. 2016 assess# en 6 / asonry a air lo)%ers 1)dge ed 0or re7air in 2016. 2018, 2019, 2021 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2022-2023 Assess# en 6 ' one re7air 2orA needed. . o o her re7or ed 7ro1le#s or changes.
Labeling	5	\$494,480	0	0	10	90	/ os ly original, in good condi ion 200! assess# en 6 . o changes. . o re7or ed 7ro1le#s. 2009-2011 Assess# en 6 . o changes re7or ed. 2012 assess# en 6 \$lass re7laced on 3 00ices in so) h2es ern corner. 2013-2016 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018-2019, 2021-2022 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2023 Assess# en 6 . o re7or ed 7ro1le#s. -n erior sliding glass door ins allad a ' )den 'er%ices

. a ' /&s1 Main 2se 34/es1 %) tes1 ) % ( 94 / 5 )  
 \*ld+. %)1 09 60 % Ad#inis ra ion / )' i  
 \*&ildin+1 D)nald .. \*&rns 8i (rar4 and Ad ' in. 40 % Li1rary  
 Areal 28\$"20sf -r \*&ilt1 1966 FI))rs1 2

ystem	C#s of ystem		Pct. of system value to 3udget for re2air-re2lacement4				ystem-Com2nent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
E<AC	25	\$2,412,400	0	5	25	!0	<p>;e7laced in 1999, .o re7or ed 7ro1le#s.            &lt;aria1le *re9)ency (ri%e con rols 0ailing, recen ly re7laced.            Li1rary h) #idi y re9)ire#en s &gt;lo2 h) #idi y? handled hro)gh o%ercooling o0 s7ace.</p> <p>200! assess#en 0 .o changes. .o re7or ed 7ro1le#s.</p> <p>2009 Assess#en 0 2008 4 ne2 rehea 1oiler ins allad o con rol 1)ilding h) #idi y            &gt;cos 7ar o0 (oser ")ilding rehea 1oiler ins all?</p> <p>2010 Assess#en 0            \$as #e er sys e#s re7laced 1y Cons) #ers =nergy.</p> <p>2011 assess#en 0 .o changes re7or ed. .o re7or ed 7ro1le#s.</p> <p>2012 assess#en 0 'ys e# con rols )7graded o ( (C as 7ar o0 ne2 energy            #anage#en sys e#. (a#7ers, ac )a ors on con rol %al%es re7laced as re9)ired.</p> <p>201342015 Assess#en 0 .o changes re7or ed.</p> <p>2016 Assess#en 0 .o changes re7or ed. .o re7or ed 7ro1le#s.</p> <p>2018 Assess#en 0 The E&lt;AC sys e# is a co#1ina ion o0 cen ral AE8 2i h ho 2a er            hea ing and chilled 2a er cooling 2hich re9)ire )7grades o heir res7ec i%e con rols.            Chilled 2a er is s)77lied 1y an o) door air4cooled chille &gt;1999? )sing 25% e hylene glycol.            The c)rren o) door chiller a77ears in good condi ion and 2ill con in)e o 7ro%ide 10 years.            There is e%idence o0 high h) #idi y in he lo2er le%el li1rary 2here ceiling iles are sagging.            ;eco# #end CC2 con rols 0or de#and %en ila ion and de4h) #idi iica ion rehea added o            he lo2er le%el AE8s. &lt;* (s are on all #o ors and sho)ld 1e con rolled.            The 1)ilding is 0)ly ( (C con rolled 2i h he s andard ca#7)s "= / ' sys e#.            The c)rren AE8 sys e#s need o ed7and 2i h con rols )7grades.            ' ea# and condensa e ser%ices en er in o he 1)ilding and con%er ed o ho 2a er hea ing.            The 'chool is c)rren ly adding side s rea# 0il ra ion o he ho 2a er circ)la ion            and dis ri1) ion hea ing sys e# o hel7 i#7ro%ed 2a er 9)ali y.            ' ea# line i#7ro%e#en s #ade in 201!.</p> <p>2019 Assess#en 0 =n ry hea er re7laced. .o re7or ed 7ro1le#s.</p> <p>202142023 Assess#en 0 .o changes re7or ed. .o re7or ed 7ro1le#s.</p>





. a ' /&s1 Main 2se 34/es1 % tes1 ) % ( 94 / 5 )  
 \*ld+. %)1 09 60 % Ad#inis ra ion / )' i  
 \*&ildin+1 D)nald .. \*&rns 8i (rar4 and Ad ' in. 40 % Li'rary  
 Areal 28\$"20sf -r \*&ilt1 1966 FI)rs1 2

ystem	C#of ystem		Pct. of system value to Budget for reair-replacement				ystem-Component *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
(is ri1) ion	4	\$395,584	0	10	15	15	. o re7or ed 7ro1le#s 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2016, 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
Ligh ing	5	\$494,480	5	5	10	80	. o re7or ed 7ro1le#s 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942011 Assess#en 6 . o changes re7or ed. 2012 assess#en 6 =D erior ligh ing )7graded as 7ar o0=C / con rac . 201342015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 Ligh ing is a #iD )re o0 linear and co#7ac 0l) orescen . ;eco# #end s2i cho%er o L= ( echnology as re#odel 2orA ha77ens. 2019, 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 202242023 Assess#en 6 Ligh ing o 1e )7graded o L= ( o%er neD 0i%e years.
<oice5 (a a	5	\$494,480	10	5	5	80	. e2 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 201842019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.



2019, 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

202242023 Assess#en 6 . o re7or ed 7ro1le#s. Li1rary 0inishes reco# #ded lor  
aes he ic )7grades.

. a ' /&s1 Main

\*ld+. %)1 09

\*&ildin+1 D)nald .. \*&rns 8i(rar4 and Ad ' in.

2se 34/es1

60 % Ad#inis ra ion

40 % Li1rary

%)tes1 ) %( 94/ 5 )

/ )' i

. a ' /&s1 Main 2se 34/es1 %)tes1 ) % ( 94 / 5 )  
 \*ld+. %)1 09 60 % Ad#inis ra ion / )' i  
 \*&ildin+1 D)nald .. \*&rns 8i (rar4 and Ad ' in. 40 % Li1rary  
 Areal 28\$"20sf -r \*&ilt1 1966 FI))rs1 2

system	C#of system	Pct. of system value to Budget for re2air-re2acement4	Budget for re2air-re2acement4				system-Com2nent *otes
			Immediate	/-5 Years	0/0 Years	//1 Years	
"ldg., *ire, A (A, =le%a ors	2	\$19!,!92	0	5	10	85	'7rinAler 4 ne2. .e2 alar# sys e#. Eandrills in s airs #ay no #ee code, sho)ld 1e re%ie2ed.
			\$0	\$9,890	\$19,779	\$168,123	200! assess#en 6 . o changes. . o re7or ed 7ro1le#s.  200942016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  201842019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
-# #ed. 'ie, =D . L g., ec	4	\$395,584	5	5	10	80	" )ilding 7ar ally 1elo2 grade 4 lo2er le%el o7en on 3 sides 2i h s one re aining 2alls.
			\$19,779	\$19,779	\$39,558	\$316,467	200! Assess#en 6 Original s one si e 2alls de eriora ing. 3 a er in0il ra ion in o #or ar ca) sing s ones o loosen, #or ar o de eriora e. 3 alls d)e 0or re7air and )cA7oin ing.  2009 Assess#en 6 . o changes re7or ed.  2010 Assess#en 6 ' one si e 2all de eriora ion con in)ing.  2011 assess#en 6 . o changes re7or ed. ' one si e 2all de eriora ion con in)ing.  2012 assess#en 6 . o changes re7or ed.  2013 assess#en 6 ( e eriora ion a 1o h nor h and so) h si e 2alls con in)es. / or ar is 0ailing and #any s ones are loose or ha%e 0allen. ; e7air o0eDis ing 2alls no liAely o 7re%en re )rn o0 7ro1le# . <er ical s one 2alls and slo7ed re aining 2alls are d)e 0or re7lace#en .  2014 Assess#en 6 . o changes re7or ed. ' i e 2all con in)es o de eriora e.  2015 assess#en 6 ' one si e 2alls and re aining 2alls d)e 0or re7lace#en .  2016 assess#en 6lo2er le%el si e 0looded eD ensi%ely d)ring hea%y rains or # in  2016, so#e 2a er en ered 1)ilding. ' one re aining 2alls con in)e o de eriora e0 iss)es #ay ha%e accelera ed d)e o 0loading. (irec 1)ried s ea# line re7lace#en 2orA #ay 1e dis )r1ing si e 2all 0)r her.

2018 Assess#en 6 'o#e re aining 2all re7air 2as co#7le ed in 201!.

2019 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

2021 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

2022 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

2023 Assess#en 6 Cngoing re7lace#en o0 C\*L la#7s 2i h L= ( in eDis ing 0iD )res  
as re9)ired 0or #ain enance.



Area 1  
 Main  
 10  
 arn

2014  
 100% coverage

test

Area 1 800sf - 1998 F1) rs 1

System	30	\$58,500	Immediate	5 Years	10 Years	15 Years	System-Component Notes
Drainage	30	\$58,500	0	0	0	100	2001 assess# en 6 . o changes re7or ed 7ro1le#s. 2009/2015 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2016 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 3ood tra#e 2i h #e al 7anel rool s r )re on concre e sla14on4grade. 2019, 2021/2023 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Main  
 \*ld+. %)1 10  
 \*&ildin+1 ! )le \*arn  
 Areal 1\$800sf

- r \* &ilt1 1998 Fl) )rs1 1

2se 34/es1  
 100% ' orage

%) tes1

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
Cladding	20	\$39,000	0 \$0	0 \$0	10 \$3,900	90 \$35,100	# e al siding, . o re7or ed 7ro1le#s 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 2009-2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. / e al 7anel cladding. 2019, 2021-2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
E<AC	5	\$9,150	0 \$0	0 \$0	0 \$0	100 \$9,750	has gas hooA)7 0r 0) )re addi ion o0 hea er. 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 2009-2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2016, 2018, 2019, 2021-2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
&l) # 1ing5 ( rainage	0	\$0	0	0	0	100	.5A



. a ' /&s1 Main  
 \*ld+. %)1 10  
 \*&ildin+1 ! )le \*arn  
 Areal 1\$800sf

2se 34/es1  
 100% ' orage  
 - r \* &ilt1 1998 Fl) )rs1 1

%) tes1

ystem	C#of ystem		Pct. of system value to Budget for reair-replacement				ystem-Comnent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
&ri#ary5' econdary	4	\$!,800	0	0	0	100	#ini#al 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
(is ri1) ion	4	\$!,800	0	0	0	100	#ini#al 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
Ligh ing	4	\$!,800	0	0	10	90	#ini#al, . o re7or ed 7ro1le#s 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942014 assess#en 6 no changes re7or ed. . o re7or ed 7ro1le#s. 2015 assess#en 6 Ligh ing )graded. 2016, 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
<oice5 (a a	0	\$0	0	0	0	100	.5A 2014 4 2016 Assess#en 6 . o changes re7or ed. 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
Ceilings	0	\$0	0	0	0	100	.5A 2014 4 2016 Assess#en 6 . o changes re7or ed. 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

3 allsiCase2orA	0	\$0	0	0	0	100	.5A
			\$0	\$0	\$0	\$0	
							2014 4 2016 Assess#en ð . o changes re7or ed.
							2018, 2019, 202142023 Assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.
(oors	10	\$16,060	0	0	20	80	4 o%erhead doors, 1 #an door, . o re7or ed 7ro1le#s
			\$0	\$0	\$3,212	\$12,848	
							200! assess#en ð . o changes. . o re7or ed 7ro1le#s.
							200942012 assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.
							2013 Assess#en ð . e2 2ea her seals ins alled a eDis ing o%erhead doors.
							2014 4 2016 assess#en ð eD erior #an door re7laced.
							2018, 2019, 202142023 Assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.
*loors	4	\$!,800	0	0	0	100	Concre e floor
			\$0	\$0	\$0	\$7,800	
							200! assess#en ð . o changes. . o re7or ed 7ro1le#s.
							200942016 Assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.
							2018, 2019, 202142023 Assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.
"ldg., *ire, A (A, =le%a ors	2	\$3,900	0	0	0	100	. o re7or ed 7ro1le#s
			\$0	\$0	\$0	\$3,900	
							200! assess#en ð . o changes. . o re7or ed 7ro1le#s.
							200942016 Assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.
							2018, 2019, 202142023 Assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.
-# #ed. 'ie, =D. L g., ec	2	\$3,900	0	0	0	100	. o re7or ed 7ro1le#s
			\$0	\$0	\$0	\$3,900	
							200! assess#en ð . o changes. . o re7or ed 7ro1le#s.
							200942016 Assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.
							2018, 2019, 202142023 Assess#en ð . o changes re7or ed. . o re7or ed 7ro1le#s.

C# "otals" 100 \$195,000 \$0 \$17,550 \$7,892 \$166,118 \$191,560

Priority Issues Data					Year Cumulative Data				
#195000	#0	#0	0.0%	GOOD	#1550	#800	9.0%	#3900	FAI
C#	D%B	OCC	FCI	#A"*+	D%B	OCC	FCI	,-Y#%A"*A"*	#A"*+

. a ' /&s1 Main  
 \*ld+. %)1 11  
 \*&ildin+1 ! ) , er !lant  
 Areal 3\$840sf

2se 34/es1  
 100% &o2er Eo)se

%)tes1 . ' " )% \$ ) \* % ) \$ ' )  
 (\* i  
 8 , # ' ( ' )

- r \* &ilt1 1966 FI))rs1 1

system	C# of system		Pct. of system value to Budget for re2air-re2acement4				system-Component *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
' r)c )re	15	\$423,435	0	5	5	90	Concrete no re7or ed 7ro1le#s 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 2009!2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2018 Assess#en 6 ' hrinAage cracAs %isi1le in (loors M no d)e o se le#en M no critical. ' orage shed 1ehind 1)ilding has s)1s an ial se le#en , cracAs in 1locA, near end o0 li0e. ' r)c )ral s eel 0ra#e, 2i h concre e 1) resses. 2021!2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
; oo0	3	\$84,68!	0	40	0	60	; e7laced in 1998, . o re7or ed 7ro1le#s 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 2009 Assess#en 6 . o changes re7or ed. 2010 Assess#en 6 . o changes re7or ed. 2011 Assess#en 6 ; oo0 ins7ec ed ann)ally, no re7or ed 7ro1le#s, 1) roo0 nearing end o0 eD7ec ed li0e. 2012!2014 assess#en 6 ; oo0 ins7ec ed, re7aired as necessary. 2015 assess#en 6 &ro7osed roo0 #e# 1rane re7lace#en in 2022, 7er roo0 re7or . 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 141!2L s eel decA on s eel 0ois s. " ) il 4)7 roo0, 2i h ins)la ion. 2019, 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2022!2023 Assess#en 6 ; e7lace roo0 in neD 5 years.

. a ' /&s1 Main  
 \*ld+. %)1 11  
 \*&ildin+1 ! ) , er !lant  
 Areal 3\$840sf

- r \* &ilt1 1966 FI))rs1 1

2se 34/es1  
 100% &o2er Eo)se

%)tes1 . ' " )% \$ ) \* % ) \$ ' )  
 (\* i  
 8 , # ' ( ' )

System	C# of system		Pct. of system value to Budget for re2air-re2acement4				System-Component *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
Labeling	1	\$28,229	0	10	0	90	<p>&lt;ery 0e2 2indo2s original. C+</p> <p>200! assess#en 6 . o changes. . o re7or ed 7ro1le#s.</p> <p>2009 Assess#en 6 200842indo2s re7laced d) e o 0orAli0 da#age.</p> <p>201042016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s</p>
Cladding	5	\$141,145	0	5	5	90	<p>Concrete d) e 0or re7ain ing.</p> <p>200! assess#en 6 " )ilding re7ain ed.</p> <p>200942014 assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.</p> <p>2015 assess#en 6 =D erior 7ain 1eginning o 7eel. " )ilding is d) e 0or re7ain .</p> <p>2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s</p> <p>2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. -ns)la ed #e al 7anels.</p> <p>2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s</p>

. a ' /&s1 Main  
 \*ld+. %)1 11  
 \*&ildin+1 ! ) , er !lant  
 Areal 3\$840sf

-r \* &ilt1 1966 FI))rs1 1

2se 34/es1  
 100% &o2er Eo)se

%)tes1 . ' " )% \$ ) \* % ) \$ ' )  
 (\* i  
 8 , # ' ( ' )

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
E<AC	30	\$846,8!0	0	5	10	85	" oilers re7laced 198! . 2 1oilers, cycled o r)n e%ery o her #on h o 7rolong li0e. Addi ional load on sys e# # ay re9)ire r)ning 1o h 1oilers a once. / ain s ea# %al%es re7laced in 2001.  20054 2o ne2 condensa e 7) #7s and recei%er ins alled >\$2,000? . e2 0lo2 #e er sched)led 0r ins alla ion in 2006 >\$!,200?  200! assess#en 6 *lo2 #e er re7laced. 'ec ion o! s ea# loo7 re7laced 1e 2een -ns r)c ion 3es and Ash " )ilding. &as condensa e leaAs ca)sed eDcessi%e 2a er loss 0ro# sys e#.

. a ' /&s1 Main  
 \*ld+. %)1 11  
 \*&ildin+1 ! ) , er !lant  
 Areal 3\$840sf - r \* &ilt1 1966 FI))rs1 1

2se 34/es1  
 100% &o2er Eo)se

%)tes1 . ' " )% \$ ) \* % ) \$ ' )  
 (\* i  
 8 , # ' ( ' )

system	C# of system	\$	Pct. of system value to Budget for re2air-re2acement4				system-Component *otes
			Immediate	/-5 Years	0/0 Years	//1 Years	
E<AC >con in)ed?	30	\$846,8!0	0	5	10	85	2018 Assess# en 6 A cen ral s ea# 1oiler 7lan is ser%ed 1y 2o >2? Clea%er " rooAs s ea# 1oilers ra ed a 5,230 / " E na )ral gas in7) . " oilers are 1980s %in age o7era ing o 7ro%ide he school ca#7)s 2i h 100% 1acA)7 hea ing ca7aci y. The s ea# 1oiler sys e# and i s accessories ha%e 1een ro) inely #ain ained 2i h 2a er 5 condensa e con rol and che#ical rea #en . There0ore, his 7lan is in 0airly good condi ion and 2ill con in)e o 0)nc ion 0or he 'chool (is ric o s)77ly s ea# hea . ; ece ne2 i#7ro%e#en s and e9)i7#en in%es #en s hro)gh ca7i al eD7ec an addi onal allo2ed he 7lan o 1e relia1le and con in)ed o7era ions. 3e eD7ec an addi onal 10 o 20 years 0l con in)ing ' ea# genera ion and dis ri1) ion o ca#7)s 1)ildings. The ca#7)s s ea# hea ing ca7 )res 100% 0l i s 1)ilding condensa e a each 1)ilding and heir s ea# )se o #ini#aliBe 2a er #aAe4)7 and che#icals needs a he 1oiler 7lan . 3e es i#a e he #aAe4)7 2a er a 200 \$&( 1ased on he recorded 2a er #e er. The 1oiler40eed 2a er sys e# 2as re7laced and )7graded in 2009 and in good condi ion 3 ell 2a er is so0 ened 2i h a ne2 2a er so0 ener 0or i#7ro%ed las ing e9)i7#en l0e. / ain enance records indica e 1lo2do2n once 7er 2eeA o 7)rge solids 0or on4going 9)ali y con rol 0l s ea#. A recen s ea# ra7 re7lace#en and #ain enance 7rogra# 2as 0inanced 2i h a Cons) #ers =nergy re1a e 7rogra#. ' ea# l condensa e dis ri1) ion 7i7e 2as re7laced in 2000. The c)rren !0 7sig s ea# 7ress)re 7ro%ides a1o) 340* hea ing "T8 e#7era )res o he 1)ilding 2i h #ini#al s ea# 7i7e losses in he dis ri1) ion 7i7ing sys e#. 3e reco # #end E<AC con rol i#7ro%e#en s and o 1e incor7ora ed in o he Ca#7)s "= / ' >" )ilding =nergy / anage#en 'ys e#?. C)rren "= / ' hard2are is #an)0ac )red 1y 'nieder )sing Tridi) # so0 2are as re7resen ed 1y \$rand <alley A) o#a ion >\$<A?. The c)rren 1oilers are d)al 0)el 0ired 2i h Q2 oil as 1acA)7 o he na )ral gas %al%e rain.  2019 Assess# en 6 T)1es redone on he 1oilers. .o 7ro1le#s re7or ed.  202142023 Assess# en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.

. a ' /&s1 Main  
 \*ld+. %)1 11  
 \*&ildin+1 ! ) , er !lant  
 Areal 3\$840sf

2se 34/es1  
 100% &o2er Eo)se

%)tes1 . ' " )% \$ ) \* % ) \$ ' )  
 (\* i  
 8 , # ' ( ' )

-r \* &ilt1 1966 FI))rs1 1

system	C# of system	Pct. of system value to budget for repair-replacement	Budget for repair-replacement				system-Component notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
&l) # 1ing5 ( rainage	8 \$225,832	0	10	10	80	2004 ne2 elec rical ser%ice o 7o2er 7lan li0 s a ion ins alled > 2o li0 s a ions 0or ca#7)s?, i#7ro%ed relia1ili y.  200142014 Assess#en 6 . o changes re7or ed.  2015 Assess#en 6 . e2 0re9)ency dri%e added o 2ell 7) #7 o i#7ro%e 2a er 7ress)re. . o re7or ed 7ro1le#s  2016, 2018, 2019, 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  202242023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.	
&ri #ary5' econdary	10 \$282,290	0	5	15	80	C+. 'o#e original 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s.  2009 Assess#en 6 . o changes re7or ed.  2010 assess#en 6 Ca#7)s 7ri#ary ser%ice cond)c ors )7graded o 8360< 1y Cons) #ers =energy o 7ro%ide addi ional ca7aci y.  201142016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.	



. a ' /&s1 Main

\*ld+. %)1 11

\*&ildin+1 ! ) , er !lant

Areal 3\$840sf

-r \*&ilt1 1966

FI))rs1 1

2se 34/es1

100% &o2er Eo)se

%)tes1

(\* 4

8

,

#

"

)

%

\$

)

\*

%

)

\$

'

'

. a ' /&s1 Main  
 \*ld+. %)1 11  
 \*&ildin+1 ! ) , er !lant  
 Areal 3\$840sf

- r \* &ilt1 1966 FI) )rs1 1

2se 34/es1  
 100% &o2er Eo)se

%)tes1 . ' " )% \$ ) \* % ) \$ ' )  
 (\* i  
 8 , # ' ( ' )

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Component notes
(is ri1) ion	5	\$141,145	0	5	10	85	. o re7or ed 7ro1le#s
			\$0	\$7,057	\$14,115	\$119,973	
							200! assess#en 6 . o changes re7or ed 7ro1le#s.
							2009/2015 Assess#en 6 . o changes re7or ed . . o re7or ed 7ro1le#s
							2016 Assess#en 6 . o changes re7or ed . . o re7or ed 7ro1le#s
							2018 Assess#en 6 The con0ig)ra ion o0 he eDis ing 7ri#ary 7o2er dis ri1) ion sys e# can only 1e s)r#ised 1ased on he ini ial 2aA4 hro)gh. Additional research is need o 0)lly )nders and he sys e# and ho2 i #igh 1e ed7anded in he 0) )re i0 he need arises. A one4line diagra# o0 his sys e# liAely eDis s so#e2here 0ro# 2hen 0irs cons r)c ed or 2hen 1)ildings 2ere added, ho)gh s)ch a dra2ing is no Ano2n.
							2019, 2021/2023 Assess#en 6 . o changes re7or ed . . o re7or ed 7ro1le#s
Ligh ing	5	\$141,145	0	20	0	80	. o re7or ed 7ro1le#s
			\$0	\$28,22	(\$119,973)	JTJ8ET8Q80 0 0 rg8q88.33 1 2 cm 71-n 227 2 2,916 8.33333 0 0 cm BT8/R15 7.68 Tf80.999078	

2022/2023 Assessment ; replace lighting in new 01%e years

. a ' /&s1 Main  
 \*ld+. %)1 11  
 \*&ildin+1 ! ) , er !lant  
 Areal 3\$840sf

- r \* &ilt1 1966 FI))rs1 1

2se 34/es1  
 100% &o2er Eo)se

%)tes1 . ' " )% \$ ) \* % ) \$ ' )  
 (\* i  
 8 , # ' ( ' )

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
<oice5 (a a	2	\$56,458	0 \$0	0 \$0	5 \$2,823	95 \$53,635	Only 0or energy #anage#en sys e# 4 . o re7or ed 7ro1le#s 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s
Ceilings	2	\$56,458	0 \$0	20 \$11,292	0 \$0	!0 \$39,521	" reaA roo# only, 1alance o7en o decA 200! assess#en 6 . o changes. . o re7or ed 7ro1le#s. 200942021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 202242023 Assess#en 6 ; e7lace ceilings in neD 0i%e years

3 alls;CasL65 . 2571 ( 206 ( 20e7or 30 . 59 ( L8i4 3 7 09T re7o67,80094n26 ( 20) -60 3 4 . 91 ( 0) -5871865 ( !0) -748 . # 4 . o re7or ed 7ro1le#s) ] T J 1 E T 1 Q 1 0 . 498047 0 . 498047 0 . 498047 r g 1 q 1 8 . 3 3 3 3 3 0 0 8 . 3 3 3 3 3 0 0

2018 Assess# en 6 ; )s ing on eD erior doors 4 . eed re7lace# en .

2019, 2021 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s

202242023 Assess# en 6 ; e7lace doors in he neD 0i%e years.

*loors	3	\$84,68!	0	30	0	!0	. o re7or ed 7ro1le#s
			\$0	\$25,406	\$0	\$59,281	

200! assess# en 6 . o changes. . o re7or ed 7ro1le#s.

200942016 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s

2018 Assess# en 6 Concre e sla14on4grade. <inyl ile in o0lice and 1a hroo#.

2019, 2021 Assess# en 6 . o changes re7or ed. . o re7or ed 7ro1le#s

202242023 Assess# en 6 ; e7lace 0loors in he neD 0i%e years.

"ldg., *ire, A (A, =le%a ors	2	\$56,458	5	0	10	85	. o 0ire alar# .
			\$2,823	\$0	\$5,646	\$47,989	

200! 4 2023 Assess# en 6 . o changes. . o re7or ed 7ro1le#s.



.a' /&s1 Main 2se 34/es1 % tes1 / ( : \* ; i ) \*  
 \*ld+. %)112 40 % La1  
 \*&ildin+1 As5 \*&ildin+ 25 % Classroom#  
 Areat 28\$800sf -r \*&ilt1 200" Fl) )rs1 2 25 % Ad#in  
 10 % A)di

system	C#	Sof ystem	Pct. of system value to budget for repair-replacement				system-Component notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
' r)c )re	16	\$1,593,152	0	5	5	90	' eel s r)c )re. 'la1 on grade, 7ar ially 1elo2 grade on 2 sides o lo2er le%el. 200!4. e2 cons r)c ion, )nder 2arran y 200942015 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s 2016 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s 2018 Assess#en 6 ' igns ol #ois )re #gra ion o in erior a grade le%el. &ossil1e iss)e 2i h 0lashing a grade le%el. ' igns ol 2a er leaAge in ser%er roo# a cond)i en ry 7oin s. 2019 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s 2021 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s. 202242023 Assess#en 6 .o changes re7or ed. .o 7ro1le#s re7or ed.
; ool	4	\$398,288	0	5	5	90	3 hi e =& ( / , 0)lly adhered >Carlisle? 200!4. e2 cons r)c ion, )nder 2arran y 2009 Assess#en 6 .o changes re7or ed. 2010 Assess#en 6 / inor rool leaAs re7aired )nder 2arran y. 2011 assess#en 6 .o changes re7or ed. ; ool ins7ec ed ann)ally, no re7or ed 7ro1le#s. 201242014 assess#en 6 .o changes re7or ed. 2015 assess#en 6 ; ool re7or indica ed no iss)es. 2016 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s 2018 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s. ; ool re7lace#en sched)led in 2035. 2019 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s 202142023 Assess#en 6 .o changes re7or ed. .o re7or ed 7ro1le#s.



2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s

2018 Assess#en 6 The E<AC sys e# is a co#1ina ion o0 cen ral AE85= ; 8 and a77ear  
rela i%ely ne2 and in good cond ion.

Chilled 2a er is s)77lied 1y an o) door air4cooled chiller )sing 25% e hylene glycol.

The c)rren o) door chiller is in good condi ion and 2ill con in)e o 7ro%ide 10 o 20 years.

The 1)ilding is 0)lly ( (C con rolled 2i h he s andard ca#7)s " = / ' sys e#.

' ea# and condensa e ser%e#e . rar

rengears.



. a ' /&s1 Main

2se 34/es1

% ) tes1

---

.a' /&s1 Main 2se 34/es1 % tes1 / ( : \* ; i ) \*  
 \*ld+. %)1 12 40 % La1  
 \*&ildin+1 As5 \*&ildin+ 25 % Classroo#  
 Areat 28\$800sf -r \*&ilt1 200" F1) )rs1 2 25 % Ad#in  
 10 % A)di

System	C# of system	S of system	Pct. of system value to Budget for repair-replacement				System-Component notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
(is r1) ion	5	\$49!,860	0	0	0	100	200!4. e2 cons r)cion, )nder 2arran y \$0 \$0 \$0 \$497,860 200942021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 202242023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.
Ligh ing	5	\$49!,860	0	10	5	85	All 0)orescen . Linear direc sındirec 7endan 0iD )res in classroo#s and la1s. ; ecessed 1D4 y7ical in corridors, #ini#al recessed cans and s7ecial y 0iD )res. ; ecessed 2D4 in o0ices. \$0 \$49,786 \$24,893 \$423,181 200!4. e2 cons r)cion, )nder 2arran y 200942015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2018 Assess#en 6 =D erior cano7y ligh ing reg)larly 0ills 2i h inseç. ; eco# #end re7lace#en 2i h ne2, sealed L= ( #od)les. =D erior 2all 7acAs are co#7ac 0)orescen 2i h 1a ery 7acAs. 3 hile 7re%io)sly a77ro7ria e, these are no he 1es sol)ion 0or eD erior ligh ing in nor hern cli#a e, as i is di0ic)l o s ar in cold 2ea her 2i h ligh o) 7) signi0ican ly red)ced. ; eco# #end re7lace#en 2i h L= ( 2all 7acAs. -n erior ligh ing is 7ri#arily a #iD )re 0l T8 and co#7ac 0)orescen echnology. The %ario)s co#7ac 0)orescen so)rces in he 1)ilding can 7resen #ain enance co#7lica ions. ; eco# #end a s2i cho%er o L= ( as 1)dge allo2s. 2019 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 202242023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.
<oice\$ (a a	4	\$398,288	0	0	0	100	200!4. e2 cons r)cion, )nder 2arran y \$0 \$0 \$0 \$398,288 200942021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 202242023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.



.a' /&s1 Main 2se 34/es1 %)tes1 / ( : \*;i ) \*  
 \*ld+. %)112 40 % La1  
 \*&ildin+1 As5 \*&ildin+ 25 % Classroom#  
 Areat 28\$800sf -r \*&ilt1 200" Fl) )rs1 2 25 % Ad#in  
 10 % A)di

system	C# of system		Pct. of system value to budget for re2air-re2acement4				system-Com2onent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
(doors	2	\$199,144	0	0	10	90	=D erior6 Al) #in) # 0ra#e 0)ll4li e doors. >1? Eollo2 #e al door. -n erior6 'olid score 2ood y7ical. >1? sliding al) #in) # 0ra#e 0)ll4li e door sys e# in co#7) er la1. >5? al) #in) # 0ra#e 0)ll4li e doors. >2? hollo2 #e al doors a s air2ells.  200!4. e2 cons r)c ion, )nder 2arran y  200942021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s  202242023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.
*loors	3	\$298,116	0	0	10	90	&orcelain ile 4 corridors. 'hee %iny14 che#is ry la1. Car7e ile 4 o0lices, classroo#s. <CT 4n)rsing la1, 1iology la1.  200!4. e2 cons r)c ion, )nder 2arran y  2009 Assess#en 6 20094\$ro) in lo2er le%el eas corridor cracAed, re7aired 2ice. Ca)se )nder in%es iga ion.  2010 Assess#en 6 *loor cracA iss)e a77ears o ha%e resol%ed.  201142021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s  202242023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.
"ldg., *ire, A (A, =le%a ors	3	\$298,116	0	0	10	90	Eydra)lic 7assenger ele%a or. *)lly s7rinAlered. . e2, A (A co#7lian 0ire alar#, eDi signage and e#ergency ligh ing.  200!4. e2 cons r)c ion, )nder 2arran y  200942021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s  202242023 Assess#en 6 *ire alar# sys e# re7laced d)ring reno%a ion o +enne h, . ' #i h. . o 7ro1le#s re7or ed.
-# #ed. 'ie, =D. L g., e c	3	\$298,116	0	0	10	90	>6? 7ole #o)n ed si e ligh s a 2es side2alA only. ")ilding #o)n ed recessed eD erior ligh ing. . e2 side2alAs 7o)red as 7ar ol cons r)c ion.

200!4 . e2 cons r)cion, )nder 2arran y



. a ' /&s1 Main

\*ld+. %)1 13

\*&ildin+1 Maintenance \*&ildin+

Area1 8\$000sf

-r \*&ilt1 200"

Fl))rs1 1

2se 34/es1

100% ' orage

%) test1

. , \* #( i  
" 4 ' ( ) ( ( ) (\* ( ( %' i

ystem	C#Sof ystem		Pct. of system value to Budget for reair-replacement				ystem-Component *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
' r)c)re	15	\$!! ,145	0	0	0	100	Ty7ical 7ole41am y7e cons r)c ion. Load41earing 2ood 0ra#e s r)c )re, 7re0a1rica ed roo0 r)sses. 6L concre e 0loor sla1.  200!4 . e2 cons r)c ion, )nder 2arran y  2009!2023 Assess#en 0 . o changes re7or ed. . o re7or ed 7ro1le#s
;oo0	10	\$51,430	0	0	80	20	As7hal shingles.  200!4 . e2 cons r)c ion, )nder 2arran y  2009 Assess#en 0 . o changes re7or ed.  2010 Assess#en 0 . o changes re7or ed.  2011 assess#en 0 . o changes re7or ed. ;oo0 ins7ec ed ann)ally, no re7or ed 7ro1le#s.  2012!2015 assess#en 0 . o changes re7or ed. . o re7or ed 7ro1le#s.  2016 Assess#en 0 . o changes re7or ed. . o re7or ed 7ro1le#s. &rolec ed shingle re7lace#en , 7er roo0 re7or 0 2030  2018 Assess#en 0 ;oo0 re7lace#en sched)led 0or 2025.  2019 Assess#en 0 . o changes re7or ed. . o re7or ed 7ro1le#s.  2021!2023 Assess#en 0 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Main 2se 34/es1  
 \*ld+. %)1 13 100% ' orage  
 \*&ildin+1 Maintenance \*&ildin+  
 Area 8\$000sf -r \*&ilt1 200" Fl))rs1 1

%)tes1 . , \* # ( i  
 " 4 ' ( ) ( ( ) (\* ( ( %' i

ystem	.	,	Immediate	/5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
\$laBing	2	\$10,286	0	0	0	100	/ini#al 2indo2s 4 >! ? %inyl clad sliders in o00ice areas.
			\$0	\$0	\$0	\$10,286	

200!4 . e2 cons r) c ion, )nder 2arran yR11 07c / C2 6!26\$34 . e2n=6 T ss5n1q18 . 2en 68 . 5d398047 r g1q18

. a ' /&s1 Main  
 \*ld+. %)1 13  
 \*&ildin+1 Maintenance \*&ildin+  
 Areal 8\$000sf -r \*&ilt1 200" Fl))rs1 1

2se 34/es1  
 100% ' orage

%) tes1 . , \* # ( i  
 " 4 ' ( ) ( ( ) ) (\* ( ( %' i

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
&ri#ary5' econdary	5	\$25,115	0 \$0	0 \$0	0 \$0	100 \$25,715	200!4 . e2 cons r) c ion, )nder 2arran y 2009 Assess#en 6 . o changes re7or ed. 2010 assess#en 6 Ca#7)s 7ri#ary ser%ice )7graded 1y Cons) #ers =nergy o 7ro%ide addi onal ca7aci y. 201142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s
(is ri1) ion	4	\$20,512	0 \$0	0 \$0	0 \$0	100 \$20,572	200!4 . e2 cons r) c ion, )nder 2arran y 200942023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s
Ligh ing	4	\$20,512	0 \$0	0 \$0	0 \$0	100 \$20,572	*1)orescen ceiling #o)n ed 0iD )res y7ical. ;ecessed 0l)orescen in o0lices. 200!4 . e2 cons r) c ion, )nder 2arran y 200942011 assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2012 assess#en 6 Ligh ing )7graded as 7ar o0=C / con rac . 201342021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2022 Assess#en 6 L=( ligh ing re7lace#en co#7le ed 2023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.
<oice5 (a a	3	\$15,429	0 \$0	0 \$0	0 \$0	100 \$15,429	/ ini#al 200!4 . e2 cons r) c ion, )nder 2arran y 200942022 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2023 Assess#en 6 . e2 da a l ne 2orA ca1ling, ne2 7anel l s2i ch gear. . o 7ro1le#s re7or ed.
Ceilings	4	\$20,512	0 \$0	0 \$0	0 \$0	100 \$20,572	&re7ain ed #e al ceiling in sho7 area. Lay4in ceiling in o0lice areas.



200!4 . e2 cons r) c ion, )nder 2arran y

200942023 Assess # en 6 . o changes re7or ed. . o re7or ed 7ro1le#s

. a ' /&s1 Main

\*ld+. %)1 13

\*&ildin+1 Maintenance \*&ildin+

Areal 8\$000sf

-r \*&ilt1 200"

Fl))rs1 1

2se 34/es1

100% ' orage

%) tes1

. , \* # ( i  
" 4 ' ( ) ( ( ) (\* ( ( %' i

system	C#Sof ystem		Pct. of system value to Budget for re2air-re2acement4				system-Com2nent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
3 alls;Case2orA	5	\$25,115	0	30	0	!0	&ain ed gy7s) # 1oard 2alls 1e 2een o0ices and sho7 areas.  200!4 . e2 cons r)cion, )nder 2arran y  200942021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s  202242023 Assess#en 6 Add hall2ay in he neD 0i%e years. . o 7ro1le#s re7or ed.
( oors	4	\$20,512	0	30	0	!0	>1? o%erhead door in sho7 area. >1? Eollo2 #e al eD erior door. Eollo2 #e al in erior doors 2i h li es.  200!4 . e2 cons r)cion, )nder 2arran y  200942021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s  2022 Assess#en 6 ;e7lace o%erhead doors in neD 0i%e years.  2023 Assess#en 6 . e2 o%erhead door 7ro%ided. . o 7ro1le#s re7or ed.
*loors	4	\$20,512	0	30	0	!0	Concre e 0loor in sho7 area. Car7e in o0ices.  200!4 . e2 cons r)cion, )nder 2arran y  200942021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s  202242023 Assess#en 6 Add hall2ay in neD 0i%e years. . o 7ro1le#s re7or ed.

---





. a ' /&s1 Greenville  
 \*ld+. %)1 14  
 \* &ildin+1 As5 3ec5n)l)+4 and 8earnin+ . enter  
 Areal 19\$495sf -r \* &ilt1 2001 FI) )rs1 1

2se 34/es1  
 10 % A)di ori) #  
 50 % Technology La1  
 30 % Classroo#  
 10 % Ad#in

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
E<AC	24	\$1,658,808	0	15	0	85	>2? E 3 1oilers.
			\$0	\$248,821	\$0	\$1,409,987	; ool o7 AE 8s lo) d in corridors

200! assess#en 6  
 Cne 1oiler re )1ed d)e o eDcessi%e corrosion. ' econd 1oiler4no re7or ed 7ro1le#s.  
 ( ( C con rols 4 one 7anel 1oard does no res ar 7ro7erly al er 7o2er (ail) res.  
 8nin err)7 a1le 7o2er s)77ly added o 7re%en loss ol 7o2er.

2009 Assess#en 6 ( ( C 7anel 1oard re7laced.

2010 Assess#en 6 \$as #e er sys e#s re7laced 1y Cons) #ers =nergy.

2011 assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

2012 assess#en 6 E<AC noise red)ced hro)gh ins alla ion o noise isola ion.  
 . e2 ac )a ors on con rol %al%es and da#7ers ins alled as 7ar ol =C / con rac .

2013 assess#en 6 Co#7ressor on ; T8 Q4 >o%er con0erence roo#? re7laced.  
 =n ire E<AC sys e# no2 on college42ide 1)ilding a) o#a ion sys e#.

2014 assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

2015 assess#en 6 Co#7ressor on ; T8 Q3 re7laced.

2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  
 Ty7ical #ain enance only.

2018 Assess#en 6  
 The E<AC sys e# consis ol 7acAged gas40ired hea ing 2i h ( J cooling ; T8s 2hich  
 a77ear rela i%ely ne2 and in good condi ion.  
 Cen ral ho 2a er hea ing 1oiler and 7) #7s 7ro%ide Bone con rol %ia 242ay %al%es.  
 The 1)ilding is 0)lly ( ( C con rolled 2i h he s andard ca#7)s "= / ' sys e#.  
 The do#es ic ho 2a er 1oiler is in good condi ion.

. o re7or ed 7ro1le#s.

2022 Assess#en 6 Ca#7)s42ide " / ' sys e# )7graded 2i h ne2 hard2are  
;e7lace all roo0 o7 )ni s in neD 0i%e years.

2023 Assess#en 6 . e2 1oiler and con rols. &lanned re7lace#en o0>1? ;T8 his year.  
. o 7ro1le#s re7or ed.









2009-2012 assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

2013 assess#en 6

All classroo# door hard2are 1e changed o locAdo2n y7e 0or sec)ri y.

2014-2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s

.a ' /&s1 Greenville 2se 34/es1  
 \*ld+. %)1 14 %) tes1  
 \*&ildin+1 As5 3ec5n)l)+4 and 8earnin+ .enter 10 % A)di ori) #  
 Areal 19\$495sf - r \*&ilt1 2001 FI) )rs1 1 50 % Technology La1  
30 % Classroo#  
10 % Ad#in

---

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
*loors	3	\$20!,351	0	0	10	90	20034concre e 0loor sho2ing cracAs
			\$0	\$0	\$20,735	\$186,616	20044 ile a en ry lo11y cracAing, so#e loose gro) , cracAed ile a concre e con rol loin s > rec)rring 7ro1le#?.
							20054 ile re7laced and re7aired as necessary. Con rol loin s added a cracA loca ion.
							200542a er da#age o <CT in ca ering Ai chen 0ro# dish2asher leaA

---

ystem . , Immediate /-5 Years 0/0 Years /Tij 8

---



. a ' /&s1 Greenville  
 \*ld+. %)1 15  
 \*&ildin+1 \*ra ' an . enter  
 Areal 16\$585sf -r \*&ilt1 2012 Fl))rs1 1

2se 34/es1  
 50 % Technology La1  
 50 % Classroom#

%)tes1 6 , ( ( )'  
 2019 4 3 elding la1 reno%a ion and ro1o ics la1 reno%a ion co#7le ed.

System	C#	S of system	Pct. of system value to Budget for re2air-re2acement4				System-Component Notes
			Immediate	/-5 Years	0/0 Years	//1 Years	
' r)c )re	18	\$1,0!8,938	0	0	0	100	' eel (ra#e s r) c )re, concre e sla1on4grade. 2013 assess#en 4 1)ilding co#7le e, )nder 2arran y. 2014 4 2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 " )ilding in good s r) c )ral condi ion, no deliciencies no ed. 2019 4 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
;ool	6	\$359,646	1	0	0	100	3 hi e =& ( / rool #e#1rane. 2013 assess#en 4 1)ilding co#7le e, )nder 2arran y. 2014 4 2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. &ro'ec ed rool #e#1rane re7lace#en 0ro# rool re7or 6 2024 2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. ; eco# #ended #inor re7airs o 0lashing 1oo s in >1? loca ion.
\$laBing	3	\$1!9,823	0	0	0	100	Al) #in) # 0ra#ed 0idEd 2indo2s and cleres ory. ' o#e cons r) c ion iss)es re7or ed regarding cleres ory, ca)sing 2a er in0il ra ion. 2013 assess#en 4 1)ilding co#7le e, )nder 2arran y. 2014 Assess#en 6 . o changes re7or ed. 2015 assess#en 6 &as leaAs in cleres ory ca)sed 2a er in0il ra ion in o recei%ing area. -ss)re7or ed as resol%ed. 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2019 Assess#en 6 / odi0ied glaBing a ne2 2elding la1 . o re7or ed 7ro1le#s

202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Greenville  
 \*ld+. %)1 15  
 \*&ildin+1 \*ra ' an . enter  
 Areal 16\$585sf -r \*&ilt1 2012 Fl))rs1 1

2se 34/es1  
 50 % Technology La1  
 50 % Classroo#

%)tes1 6 , ( ( )'

ystem	C#Sof ystem		Pct. of system value to Budget for re2air-re2acement4				ystem-Com2nent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
Cladding	15	\$899,115	0	0	0	100	" ricA 2i h #e al 7anel s a areas 2i h 2indo2s. 2013 assess#en 4 1)ilding co#7le e, )nder 2arran y.  2014 4 2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s  2016 4 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
E<AC	15	\$899,115	0	0	20	80	2 condensing 1oilers, gro)nd #o)n ed ( J chillers, 1 air handler 0or en ire 1)ilding. 'ys e# on ( ( C con rols and college42ide sys e#.  2013 assess#en 4 1)ilding co#7le e, )nder 2arran y.  2014 4 2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s  2016 assess#en 6 edha)s sys e# added 0or ne2 2elding e9)i7#en .  2018 Assess#en 6 The E<AC sys e# consis o0 sho7 roo#s #aAe4)7 air and edha)s a77ear rela i%ely ne2 and in good condi ion. ; T8s 7ro%ide he necessary E<AC )sing ho 2a er 1oiler 0or Bone con rol rehea s. Cen ral ho 2a er hea ing 1oiler and 7) #7s 7ro%ide Bone con rol %ia 242ay %al%es and he 1oiler a77ears o 1e in good condi ion. The 1)ilding is 0)lly ( ( C con rolled 2i h he s andard ca#7)s " = / ' sys e#. The do#es ic ho 2a er 1oiler is in good condi ion. The -T (a a roo# is ser%ed 1y s7i AC condensing )ni s. 'ho7 classroo#s sho)ld ha%e he %en ila ion %eritied and add con rols o hel7 #ee c)rren de#ands and sh) 4o0 air0o2 2hen no occ)7ied.  2019 Assess#en 6 87grades a reno%a ed 2elding la1. . o re7or ed 7ro1le#s.  2021 Assess#en 6 &lan o add roo7 )ni a 2elding la1. . o o her re7or ed 7ro1le#s.  2022 Assess#en 6 T2o 124 on roo0 o7 )ni s added 0or 2elding la1s. . o re7or ed 7ro1le#s. E<AC " / ' has 1een )7graded.  2023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.



. a ' /&s1 Greenville  
 \*ld+. %)1 15  
 \*&ildin+1 \*ra ' an . enter  
 Areal 16\$585sf - r \* &ilt1 2012 Fl))rs1 1

2se 34/es1  
 50 % Technology La1  
 50 % Classroo#

%)tes1 6 , ( ( ( )'

ystem	C#&of ystem		Pct. of system value to Budget for re2air-re2lacement4				ystem-Com2nent *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
&l) # 1ing5 ( rainage	5	\$299,105	0	0	0	100	2013 assess#en 6 4 1)ilding co#7le e, )nder 2arran y. 2014 4 2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2016 assess#en 6 Co#7ressed air sys e# added lor la1\$sho7 )se. 2018 Assess#en 6 The "ra#an 1)ilding 0)lly s7rinAled. 2019, 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2022 Assess#en 6 3a ercoolers )7graded o a) o, no4 o)ch. . o re7or ed 7ro1le#s. 2023 Assess#en 6 . o changes re7or ed. . o 7ro1le#s re7or ed.
&ri #ary5 'econdary	5	\$299,105	0	0	0	100	208 347hase ser%ice 2013 assess#en 6 4 1)ilding co#7le e, )nder 2arran y. 2014 4 2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2018 Assess#en 6 &o2er o he 1)ilding is deli%ered %ia a ) ili y4o2ned 7ad4#o)n ed ranslor#er on he so) h2es side. This deli%ers 208\$120<, hree47hase 7o2er o a 800A #ain dis ri1) ion 7anel 2i h 800A #ain 1reaAer. The #ain 7anel is '9)are ( -4line, 2hich is s ill a%aila1le and #ain aina1le. &o2er deli%ery o he 1)ilding is a #iD )re o0 1ranch 7anel1oards and o%erhead 1)s, de7ending on he )se o0 he roo#. *) )re 7lanning sho)ld incl)de a care0)l looA a each roo# o ens)re ha he 7o2er is as 0leDi1le as 7ossi1le 0or he an ici7a ed )se. The 0ire alar# consis s o0 a . o i0ier sys e#, no iss)es no ed. 2019 Assess#en 6 Translor#ers and 7anel1oards reloca ed as 7ar o0 he reno%a ion 7roie 202142022 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s. 2023 Assess#en 6 =lec rical ser%ice )7graded, larger / ( & ins alled 2i h ne2 s2i ch gear o a)g#en eDis ing sys e#.

. a ' /&s1 Greenville

\*ld+. %)1 15

\*&ildin+1 \*ra' an . enter

Area1 16\$585sf

-r \*&ilt1 2012

Fl))rs1 1

2se 34/es1

50 % Technology La1

50 % Classroo#

%)tes1 6 . ( ( ( )'

---

ystem	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	ystem-Com2nent *otes
(is ri1) ion	4	\$239,164	0	35	0	65	2013 assess#en 4 1)ilding co#7le e, )nder 2arran y.
			\$0	\$83,917	\$0	\$155,847	2014 Assess#en 6 . o changes re7or ed.
							2015 assess#en 6 ' e74)7 ranslor#er added o 7o2er ne2 C . C e9)i7#en . (is ri1) ion 7anel, disconnec s and 1)s d)c s added. To al cos a77roD. \$60,000.
							2016 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
							2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
							2019 Assess#en 6 (is ri1) ion 7anels re%ised in 2elding la1 reno%a ion. . o re7or ed 7ro1le#s.
							2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
							2022 Assess#en 6 -ncrease dis ri1) ion ca7aci y 0or s2i ch gear e9)i7#en
							2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.

. a ' /&s1 Greenville  
 \*ld+. %)1 15  
 \*&ildin+1 \*ra ' an . enter  
 Areal 16\$585sf -r \*&ilt1 2012 Fl))rs1 1

2se 34/es1  
 50 % Technology La1  
 50 % Classroom#

%)tes1 6 , ( ( )'

System	C# of system		Pct. of system value to Budget for re2air-re2acement4				System-Component *otes
		,	Immediate	/-5 Years	0/0 Years	//1 Years	
<oice5 (a a	3	\$119,823	0	0	0	100	2013 assess#en 6 ( )ilding co#7le e, )nder 2arran y. 2014 4 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2022 Assess#en 6 " )ilding access con rol has 1een )7graded 2i h ne2 ser%ers 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
Ceilings	4	\$239,164	0	0	0	100	Co#1ina ion o0 lay4in and o7en o decA in corridors l so#e la1s, gy7s) # in oile roo#s. 2013 assess#en 6 ( )ilding co#7le e, )nder 2arran y. 2014 4 2015 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s 2018 Assess#en 6 2019 Assess#en 6 Ceiling re#o%ed in ro1o ics la1. 2021 4 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
3 allsiCase2orA	5	\$299,105	0	0	0	100	&ain ed dry2all y7ical, 2i h ile 2ainsco s. Tile in oile roo#s. 2013 assess#en 6 ( )ilding co#7le e, )nder 2arran y. 2014 4 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s
(oors	4	\$239,164	0	0	0	100	=D erior doors 4 al) #in) # 0)ll4li e doors a en ries, 7ain ed hollo2 #e al a ser%ice en ries. -n erior doors 4 hollo2 #e al. 2013 assess#en 6 ( )ilding co#7le e, )nder 2arran y. 2014 4 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s

. a ' /&s1 Greenville  
 \*ld+. %)1 15  
 \*&ildin+1 \*ra ' an . enter  
 Areal 16\$585sf -r \*&ilt1 2012 Fl))rs1 1

2se 34/es1  
 50 % Technology La1  
 50 % Classroom#

%)tes1 6 , ( ( ( )'

System	C# of system		Pct. of system value to Budget for re2air-re2acement4				System-Component *otes
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years	
*loors	4	\$239,164	0	0	10	90	Corridors 4 7orcelain ileP classroom#s 4 car7e P la1s 4 concre eP oile roo#s47orcelain ile. / ID o! car7e , shee goods and concre e.  2013 assess#en 4 1)ilding co#7le e, )nder 2arran y.  2014 Assess#en 6 . o changes re7or ed.  2015 assess#en 6 car7e re#o%ed as needed (or re7)r7osing roo#s (or ind)s rial e9)i7#en .  2016 assess#en 6 car7e 1eing da#aged (ro# change in 1)ild)ing )se 4 2orn, s ained (ro# ind)s rial e9)i7#en , dir , grease.  2018 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.  2019 Assess#en 6 *loor ünish changes in 2elding and ro1o ics la1s  2021 4 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.
"ldg., *ire, A (A, =le%a ors	2	\$119,882	0	0	0	100	" )ilding is 0)lly s7rinAled.  2013 assess#en 4 1)ilding co#7le e, )nder 2arran y.  2014 4 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s
-# #ed. 'ie, =D . L g., e c	3	\$1!9,823	0	0	35	65	2013 assess#en 4 1)ilding co#7le e, )nder 2arran y.  2014 4 2021 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s  202242023 Assess#en 6 'ie ligh ing i#7ro%e#en s needed in neD 5410 years.



. a ' /&s1 Greenville

\*ld+. %)1 16

\*&ildin+1 Greenville ! )le \*arn

Areal 4\$900sf

-r \*&ilt1 19"5

Fl))rs1 1

2se 34/es1

100% ' orage

%)tes1 7 ( (

, & ' # #

, , %0//&

---

ystem

. ,

*Id+. %)1 16		100% ' orage																
*&ildin+1 Greenville ! )le *arn																		
Area1 4\$900sf		-r *&ilt1 19"0	Fl) )rs1 1															
ystem	C# Sof ystem		Pct. of system value to Budget for reair-reacement4				ystem-Coment *otes											
	.	,	Immediate	/-5 Years	0/0 Years	//1 Years												
E<AC	2	\$5,016	0	0	0	100	.5A											
			\$0	\$0	\$0	\$5,076		2014 assess#en 6 \$as 0ired in0reded hea er added.										
								2015 4 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s										
&l) # 1ing\$ ( rainage	0	\$0	0	0	0	100	.5A											
			\$0	\$0	\$0	\$0		2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.										
&ri # ary\$ ' econdary	0	\$0	0	0	0	100	.5A											
			\$0	\$0	\$0	\$0		2014 assess#en 6										
								&o2er ed ended o 1) ilding o s) 77or li# i ed ligh ing and hea er.										
								2015 4 2023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s										
Ligh ing	0	\$0	0	0	0	100	.5A											
			\$0	\$0	\$0	\$0		2018, 2019, 202142023 Assess#en 6 . o changes re7or ed. . o re7or ed 7ro1le#s.										

---

---



C#	\$	totals	100	\$253,800	\$0	\$0	\$5,584	\$248,216	\$253,800							
Priority Issues Data							-! " ear Cumulative Data									
#	\$	253,800	#	0	#	0	0.0%	GOOD	#	0	#	0	0.0%	#	\$0"6	GOOD
C#	D%B	OCC	FCI	#A"l*+	D%B	OCC	FCI	, -Y#%A **A *	#A"l*+							









. a ' /&s1 Main

2se 34/es1

%) tes1

---

